

Shaker Mini Base



Anique Shaker



Grey Shaker



Hazel Shaker



Canyon Shaker



Bourbon Shaker



White Shaker

Rift Oak Mini Base



Bourbon Oak



Ivory Oak



Obsidian Oak



Canyon Oak

Shaker Quarter Doors



Anique Shaker



Grey Shaker



Hazel Shaker



Canyon Shaker



Bourbon Shaker



White Shaker

Rift Oak Quarter Doors



Bourbon Oak




Ivory Oak



Obsidian Oak



Canyon Oak




Door Profile

Shaker Collection

The Shaker door profile is a timeless and versatile design that features a classic five-piece construction. It is built with a sturdy mortise and tenon frame, ensuring durability and structural integrity, while the clean lines highlight its simple elegance. The frame is enhanced by a 45° inside bevel, which adds subtle dimension and detail without overpowering the minimalist style. This design adapts seamlessly to both traditional and contemporary interiors, making it a popular choice for kitchens, bathrooms, and custom cabinetry. Available in a range of finishes and materials, it offers flexibility to suit any décor. Its understated craftsmanship reflects quality and refinement, standing the test of time both in function and design.

Construction Specifications



- 1 Metal Bracket
- 2 Undermount Full-Extension 6-Way Adjustable Soft-Close DTC Drawer Glides
- 3 1/2" Plywood Full-Height Back Panel (12mm)
- 4 3/4" Plywood shelf with Front Edge Banding (18mm)
- 5 1/2" Plywood box with Matching Exterior
- 6 UV-Coated Natural Plywood Interior
- 7 5-Piece Door Construction
- 8 1-1/2" x 3/4" Hardwood Face Frame
- 9 6-Way Adjustable DTC Hinge with Soft-Close Feature
- 10 5-Piece Drawer Front Construction
- 11 5/8" Dovetail Drawer Box

*Specifications subject to change without notice

White Shaker (WS)

Cabinet Specifications:

- Framed Cabinet with Full Overlay Door and Drawer Construction
- 1-1/2" X 3/4" Solid Wood Face Frame
- 5-Piece Painted HDF Door and Drawer Front
- 1/2" Plywood Box with Matching Exterior Side Panels and Full Height Back
- UV Coated Natural Birch Wood Interior
- 5/8" Dovetailed Drawers Box
- Undermount Full Extension Soft Close Drawer Glides
- 6-Way Adjustable Concealed Hinges with Soft Close
- AC Paint Finish
- Glue and Staple or Metal Clip Assembly

*Specifications subject to change without notice.



Hazel Shaker (HS)

Cabinet Specifications:

- Framed Cabinet with Full Overlay Door and Drawer Construction
- 1-1/2" X 3/4" Solid Wood Face Frame
- 5-Piece Painted HDF Door and Drawer Front
- 1/2" Plywood Box with Matching Exterior Side Panels and Full Height Back
- UV Coated Natural Birch Wood Interior
- 5/8" Dovetailed Drawers Box
- Undermount Full Extension Soft Close Drawer Glides
- 6-Way Adjustable Concealed Hinges with Soft Close
- AC Paint Finish
- Glue and Staple or Metal Clip Assembly

*Specifications subject to change without notice.



Grey Shaker (GS)

Cabinet Specifications:

- Framed Cabinet with Full Overlay Door and Drawer Construction
- 1-1/2" X 3/4" Solid Wood Face Frame
- 5-Piece Painted HDF Door and Drawer Front
- 1/2" Plywood Box with Matching Exterior Side Panels and Full Height Back
- UV Coated Natural Birch Wood Interior
- 5/8" Dovetailed Drawers Box
- Undermount Full Extension Soft Close Drawer Glides
- 6-Way Adjustable Concealed Hinges with Soft Close
- AC Paint Finish
- Glue and Staple or Metal Clip Assembly

*Specifications subject to change without notice.



Canyon Shaker (CS)

Cabinet Specifications:

- Framed Cabinet with Full Overlay Door and Drawer Construction
- 1-1/2" X 3/4" Solid Wood Face Frame
- 5-Piece Birch Door and Drawer Front with Wood Veneered HDF Center Panel
- 1/2" Plywood Box with Matching Exterior Side Panels and Full Height Back
- UV Coated Natural Birch Wood Interior
- 5/8" Dovetailed Drawers Box
- Undermount Full Extension Soft Close Drawer Glides
- 6-Way Adjustable Concealed Hinges with Soft Close
- Stain Finish
- Glue and Staple or Metal Clip Assembly

*Specifications subject to change without notice.



Bourbon Shaker (BS)

Cabinet Specifications:

- Framed Cabinet with Full Overlay Door and Drawer Construction
- 1-1/2" X 3/4" Solid Wood Face Frame
- 5-Piece Birch Door and Drawer Front with Wood Veneered HDF Center Panel
- 1/2" Plywood Box with Matching Exterior Side Panels and Full Height Back
- UV Coated Natural Birch Wood Interior
- 5/8" Dovetailed Drawer Box
- Undermount Full Extension Soft Close Drawer Glides
- 6-Way Adjustable Concealed Hinges with Soft Close
- Stain Finish
- Glue and Staple or Metal Clip Assembly

*Specifications subject to change without notice.




Antique Shaker (AS)

Cabinet Specifications:

- Framed Cabinet with Full Overlay Door and Drawer Construction
- 1-1/2" X 3/4" Solid Wood Face Frame
- 5-Piece Painted HDF Door and Drawer Front
- 1/2" Plywood Box with Matching Exterior Side Panels and Full Height Back
- UV Coated Natural Birch Wood Interior
- 5/8" Dovetailed Drawers Box
- Undermount Full Extension Soft Close Drawer Glides
- 6-Way Adjustable Concealed Hinges with Soft Close
- AC Paint Finish
- Glue and Staple or Metal Clip Assembly

*Specifications subject to change without notice.






Rift Oak Collection

The Rift Oak door profile is a refined and contemporary design that showcases the natural beauty of rift-sawn, American-sourced white oak. Built with a solid five-piece construction, it features a sturdy mortise and tenon frame that ensures durability and long-term structural integrity. The defining characteristic of this style is the tight, straight grain pattern achieved through rift-sawing, delivering a clean and consistent appearance with minimal variation. Crisp lines and subtle detailing enhance its sophisticated look without detracting from the wood's natural texture. This design transitions seamlessly across modern, transitional, and architectural interiors, making it an excellent choice for kitchens, bathrooms, and custom cabinetry. Available in a variety of finishes and stains, it offers flexibility to complement a wide range of décor styles. Its precision craftsmanship and premium domestic material reflect understated luxury, balancing timeless appeal with contemporary elegance.

Construction Specifications



- 1 Metal Bracket
- 2 Undermount Full-Extension 6-Way Adjustable Soft-Close DTC Drawer Glides
- 3 1/2" Plywood Full-Height Back Panel (12mm)
- 4 3/4" Plywood shelf with Front Edge Banding (18mm)
- 5 1/2" Plywood Box with Matching Exterior
- 6 UV-Coated Natural Plywood Interior
- 7 5-Piece Door Construction
- 8 1-1/2" x 3/4" Hardwood Face Frame
- 9 6-Way Adjustable DTC Hinge with Soft-Close Feature
- 10 5-Piece Drawer Front Construction
- 11 5/8" Dovetail Drawer Box

*Specifications subject to change without notice

Ivory Oak (IO)

Cabinet Specifications:

- Framed Cabinet with Full Overlay Door and Drawer Construction
- 1-1/2" X 3/4" Solid Wood Face Frame
- 5-Piece French Mitered White Oak Door and Drawer Front with Wood Veneered HDF Center Panel
- 1/2" Plywood Box with Matching Exterior Side Panels and Full Height Back
- UV Coated Natural Birch Wood Interior
- 5/8" Dovetailed Drawer Box
- Undermount Full Extension Soft Close Drawer Glides
- 6-Way Adjustable Concealed Hinges with Soft Close
- AC Paint Finish
- Glue and Staple or Metal Clip Assembly

*Specifications subject to change without notice.



Canyon Oak (CO)

Cabinet Specifications:

- Framed Cabinet with Full Overlay Door and Drawer Construction
- 1-1/2" X 3/4" Solid Wood Face Frame
- 5-Piece French Mitered White Oak Door and Drawer Front with Wood Veneered HDF Center Panel
- 1/2" Plywood Box with Matching Exterior Side Panels and Full Height Back
- UV Coated Natural Birch Wood Interior
- 5/8" Dovetailed Drawers Box
- Undermount Full Extension Soft Close Drawer Glides
- 6-Way Adjustable Concealed Hinges with Soft Close
- Stain Finish
- Glue and Staple or Metal Clip Assembly

*Specifications subject to change without notice.



Bourbon Oak (BO)

Cabinet Specifications:

- Framed Cabinet with Full Overlay Door and Drawer Construction
- 1-1/2" X 3/4" Solid Wood Face Frame
- 5-Piece French Mitered White Oak Door and Drawer Front with Wood Veneered HDF Center Panel
- 1/2" Plywood Box with Matching Exterior Side Panels and Full Height Back
- UV Coated Natural Birch Wood Interior
- 5/8" Dovetailed Drawer Box
- Undermount Full Extension Soft Close Drawer Glides
- 6-Way Adjustable Concealed Hinges with Soft Close
- Stain Finish
- Glue and Staple or Metal Clip Assembly

*Specifications subject to change without notice.



Obsidian Oak (OO)


Cabinet Specifications:

- Framed Cabinet with Full Overlay Door and Drawer Construction
- 1-1/2" X 3/4" Solid Wood Face Frame
- 5-Piece French Mitered White Oak Door and Drawer Front with Wood Veneered HDF Center Panel
- 1/2" Plywood Box with Matching Exterior Side Panels and Full Height Back
- UV Coated Natural Birch Wood Interior
- 5/8" Dovetailed Drawers Box
- Undermount Full Extension Soft Close Drawer Glides
- 6-Way Adjustable Concealed Hinges with Soft Close
- Stain Finish
- Glue and Staple or Metal Clip Assembly

*Specifications subject to change without notice.




Tray Base



Model	Description	Width	Height	Depth
BT9	Cabinet Dimension	9	34 1/2	24
	Door Dimension	8 1/2	29	3/4


Full Height Single Door Bases



Model	Description	Width	Height	Depth
B12FH	Cabinet Dimension	12	34 1/2	24
	Door Dimension	11 1/2	29	3/4
B15FH	Cabinet Dimension	15	34 1/2	24
	Door Dimension	14 1/2	29	3/4
B18FH	Cabinet Dimension	18	34 1/2	24
	Door Dimension	17 1/2	29	3/4
B21FH	Cabinet Dimension	21	34 1/2	24
	Door Dimension	20 1/2	29	3/4

- This item will ship in two boxes when ordered as flat pack.

Full Height Double Door Bases




Model	Description	Width	Height	Depth
B24FH	Cabinet Dimension	24	34 1/2	24
	Door Dimension	11 3/4	29	3/4
B27FH	Cabinet Dimension	27	34 1/2	24
	Door Dimension	13 1/4	29	3/4
B30FH	Cabinet Dimension	30	34 1/2	24
	Door Dimension	14 3/4	29	3/4
B33FH	Cabinet Dimension	33	34 1/2	24
	Door Dimension	16 1/4	29	3/4
B36FH	Cabinet Dimension	36	34 1/2	24
	Door Dimension	17 3/4	29	3/4

- This item will ship in two boxes when ordered as flat pack.


Single Door / Single Drawer Base Cabinet



Model	Description	Width	Height	Depth
B12	Cabinet Dimension	12	34 1/2	24
	Door Dimension	11 1/2	22 1/2	3/4
	Drawer Front	11 1/2	6 1/4	3/4
	Drawer Box	7 3/8	3 1/8	19 3/4
B15	Cabinet Dimension	15	34 1/2	24
	Door Dimension	14 1/2	22 1/2	3/4
	Drawer Front	14 1/2	6 1/4	3/4
	Drawer Box	10 3/8	3 1/8	19 3/4
B18	Cabinet Dimension	18	34 1/2	24
	Door Dimension	17 1/2	22 1/2	3/4
	Drawer Front	17 1/2	6 1/4	3/4
	Drawer Box	13 3/8	3 1/8	19 3/4
B21	Cabinet Dimension	21	34 1/2	24
	Door Dimension	20 1/2	22 1/2	3/4
	Drawer Front	20 1/2	6 1/4	3/4
	Drawer Box	16 3/8	3 1/8	19 3/4


Double Door / Single Drawer Base Cabinet


Model	Description	Width	Height	Depth
B24	Cabinet Dimension	24	34 1/2	24
	Door Dimension	11 3/4	22 1/2	3/4
	Drawer Front	23 1/2	6 1/4	3/4
	Drawer Box	19 3/8	3 1/8	19 3/4
B27	Cabinet Dimension	27	34 1/2	24
	Door Dimension	13 1/4	22 1/2	3/4
	Drawer Front	26 1/2	6 1/4	3/4
	Drawer Box	22 3/8	3 1/8	19 3/4
B30	Cabinet Dimension	30	34 1/2	24
	Door Dimension	14 3/4	22 1/2	3/4
	Drawer Front	29 1/2	6 1/4	3/4
	Drawer Box	25 3/8	3 1/8	19 3/4

Double Door / Double Drawer Base Cabinet


Model	Description	Width	Height	Depth
B33	Cabinet Dimension	33	34 1/2	24
	Door Dimension	16 1/4	22 1/2	3/4
	Drawer Front	16 1/4	6 1/4	3/4
	Drawer Box	12	3 1/8	19 3/4
B36	Cabinet Dimension	36	34 1/2	24
	Door Dimension	17 3/4	22 1/2	3/4
	Drawer Front	17 3/4	6 1/4	3/4
	Drawer Box	13 1/2	3 1/8	19 3/4
B42	Cabinet Dimension	42	34 1/2	24
	Door Dimension	20 3/4	22 1/2	3/4
	Drawer Front	20 3/4	6 1/4	3/4
	Drawer Box	16 1/2	3 1/8	19 3/4


Sink Base



Model	Description	Width	Height	Depth
SB30	Cabinet Dimension	30	34 1/2	24
	Door Dimension	14 3/4	22 1/2	3/4
	Drawer Front	29 1/2	6 1/4	3/4
SB33	Cabinet Dimension	33	34 1/2	24
	Door Dimension	16 2/9	22 1/2	3/4
	Drawer Front	16 2/9	6 1/4	3/4
SB36	Cabinet Dimension	36	34 1/2	24
	Door Dimension	17 5/7	22 1/2	3/4
	Drawer Front	17 5/7	6 1/4	3/4

- SB33 and SB36 Comes With Two False Drawer Fronts.


Farm Sink Base



Model	Description	Width	Height	Depth
FSB30	Cabinet Dimension	30	34 1/2	24
	Sink Cutout Dimension	23	6 1/8	-
	Door Dimension	14 5/7	19	3/4
FSB36	Cabinet Dimension	36	34 1/2	24
	Sink Cutout Dimension	29	6 1/8	-
	Door Dimension	17 5/7	19	3/4

- FSB30 fits up to a 27"W x 10"H farm sink.
- FSB36 fits up to a 33"W x 10"H farm sink.


Diagonal Corner Sink




Model	Description	Width	Height	Depth
DCS42	Door & Frame Dimension	26 3/8	30	1 3/4
	Door Dimension	11 3/4	22 1/2	3/4
	Drawer Front	23 1/2	6 1/4	3/4
	Sink Floor Dimension	42	1/2	23 1/4

- This item will ship in two boxes when ordered as flat pack.

Two Drawer Base Cabinet




Model	Description	Width	Height	Depth
DB24-2	Cabinet Dimension	24	34 1/2	24
	Drawer Front	23 1/2	14 3/8	3/4
	Drawer Box	19 3/8	8 3/8	19 3/4
DB30-2	Cabinet Dimension	30	34 1/2	24
	Drawer Front	29 1/2	14 3/8	3/4
	Drawer Box	25 3/8	8 3/8	19 3/4
DB36-2	Cabinet Dimension	36	34 1/2	24
	Drawer Front	35 1/2	14 3/8	3/4
	Drawer Box	31 3/8	8 3/8	19 3/4

Three Drawer Base Cabinet


Model	Description	Width	Height	Depth
DB12-3	Cabinet Dimension	12	34 1/2	24
	Top Drawer Front	11 1/2	6 1/4	3/4
	Bottom Drawer Front	11 1/2	11 1/8	3/4
	Top Drawer Box	7 3/8	3 1/8	19 3/4
	Bottom Drawer Box	7 3/8	7 3/8	19 3/4
DB15-3	Cabinet Dimension	15	34 1/2	24
	Top Drawer Front	14 1/2	6 1/4	3/4
	Bottom Drawer Front	14 1/2	11 1/8	3/4
	Top Drawer Box	10 3/8	3 1/8	19 3/4
	Bottom Drawer Box	10 3/8	7 3/8	19 3/4
DB18-3	Cabinet Dimension	18	34 1/2	24
	Top Drawer Front	17 1/2	6 1/4	3/4
	Bottom Drawer Front	17 1/2	11 1/8	3/4
	Top Drawer Box	13 3/8	3 1/8	19 3/4
	Bottom Drawer Box	13 3/8	7 3/8	19 3/4
DB21-3	Cabinet Dimension	21	34 1/2	24
	Top Drawer Front	20 1/2	6 1/4	3/4
	Bottom Drawer Front	20 1/2	11 1/8	3/4
	Top Drawer Box	16 3/8	3 1/8	19 3/4
	Bottom Drawer Box	16 3/8	7 3/8	19 3/4
DB24-3	Cabinet Dimension	24	34 1/2	24
	Top Drawer Front	23 1/2	6 1/4	3/4
	Bottom Drawer Front	23 1/2	11 1/8	3/4
	Top Drawer Box	19 3/8	3 1/8	19 3/4
	Bottom Drawer Box	19 3/8	7 3/8	19 3/4
DB30-3	Cabinet Dimension	30	34 1/2	24
	Top Drawer Front	29 1/2	6 1/4	3/4
	Bottom Drawer Front	29 1/2	11 1/8	3/4
	Top Drawer Box	25 3/8	3 1/8	19 3/4
	Bottom Drawer Box	25 3/8	7 3/8	19 3/4
DB36-3	Cabinet Dimension	36	34 1/2	24
	Top Drawer Front	35 1/2	6 1/4	3/4
	Bottom Drawer Front	35 1/2	11 1/8	3/4
	Top Drawer Box	31 3/8	3 1/8	19 3/4
	Bottom Drawer Box	31 3/8	7 3/8	19 3/4


Lazy Susan Corner Base Cabinet with Trays



Model	Description	Width	Height	Depth
LSB33	Cabinet Dimension	33	34 1/2	24
	Door Dimension	7 1/2	29	3/4
LSB36	Cabinet Dimension	36	34 1/2	24
	Door Dimension	10 5/8	29	3/4


- LSB33 Inside Opening is 12" W and Wooden Lazy Susan Tray is 27" W (Comes in a separate box)
- LSB36 Inside Opening is 16" W and Wooden Lazy Susan Tray is 27" W (Comes in a separate box)
- This item will ship in three boxes when ordered as flat pack.

Base Easy Reach




Model	Description	Width	Height	Depth
BER33	Cabinet Dimension	33	34 1/2	24
	Door Dimension	7 7/8	29	3/4
BER36	Cabinet Dimension	36	34 1/2	24
	Door Dimension	10 7/8	29	3/4

Blind Base Corner Cabinet




Model	Description	Width	Height	Depth
BBC36	Door Opening	7	20 5/8	22 1/4
	Cabinet Dimension	27	34 1/2	24
	Door Dimension	9 1/2	22 1/2	3/4
	Drawer Front	9 1/2	6 1/4	3/4
	Drawer Box	5 3/8	3 1/8	19 3/4
BBC42	Door Opening	13	20 5/8	22 1/4
	Cabinet Dimension	39	34 1/2	24
	Door Dimension	15 1/2	22 1/2	3/4
	Drawer Front	15 1/2	6 1/4	3/4
	Drawer Box	11 3/8	3 1/8	19 3/4


- Filler required between blind cabinet and adjacent cabinet (filler not included)



Model	A	B		C	D
	Act	Min	Max	Filler (Min)	Stile
BBC36	27"	36 3/4"	44 3/4"	11/2"	10"
BBC42	39"	42 1/4"	50 1/2"	11/2"	10"

Base End Cabinet



Model	Description	Width	Height	Depth
BEC24	Cabinet Dimension	24	34 1/2	24
	Door Dimension	17	29	3/4

Base Microwave Cabinet


Model	Description	Width	Height	Depth
BMW24	Cabinet Dimension	24	34 1/2	24
	Microwave Opening	21	16 1/2 - 20 1/2	22 1/2
	Drawer Front	23 1/2	6 1/4	3/4
	Drawer Box	19 3/8	3 1/8	19 3/4
BMW30	Cabinet Dimension	30	34 1/2	24
	Microwave Opening	27	16 1/2 - 20 1/2	22 1/2
	Drawer Front	29 1/2	6 1/4	3/4
	Drawer Box	25 3/8	3 1/8	19 3/4


- Microwave Opening Trimmable Upto 20 1/2 Height
- Natural Interior

Desk Base Cabinet



Model	Description	Width	Height	Depth
DFB18	Cabinet Dimension	18	29 1/2	21
	Top Drawer Front	17 1/2	6 1/4	3/4
	Bottom Drawer Front	17 1/2	17 1/2	3/4
	Top Drawer Box	13 3/8	3 1/8	16 3/4
	Bottom Drawer Box	13 3/8	8 3/8	16 3/4


Desk Knee Drawer



Model	Description	Width	Height	Depth
DKD30	Cabinet Dimension	30	5	21
	Drawer Front	26 1/2	4 1/4	3/4
	Drawer Box	21 3/4	2 3/8	16 3/4

- Trimmable to 28"W.


Full Height Single Door Single Rollout Shelf Bases



Model	Description	Width	Height	Depth
B18FH1RS	Cabinet Dimension	18	34 1/2	24
	Door Dimension	17 1/2	29	3/4
	Rollout Shelf	12 1/4	2 1/2	19 3/4
B21FH1RS	Cabinet Dimension	21	34 1/2	24
	Door Dimension	20 1/2	29	3/4
	Rollout Shelf	15 1/4	2 1/2	19 3/4

- This item will ship in three boxes when ordered as flat pack.
- Rollout Trays are undermount soft close.
- Rollout Trays recommended maximum weight is 40lbs.


Full Height Single Door Double Rollout Shelf Bases



Model	Description	Width	Height	Depth
B18FH2RS	Cabinet Dimension	18	34 1/2	24
	Door Dimension	17 1/2	29	3/4
	Rollout Shelf	12 1/4	2 1/2	19 3/4
B21FH2RS	Cabinet Dimension	21	34 1/2	24
	Door Dimension	20 1/2	29	3/4
	Rollout Shelf	15 1/4	2 1/2	19 3/4

- This item will ship in four boxes when ordered as flat pack.
- Rollout Trays are undermount soft close.
- Rollout Trays recommended maximum weight is 40lbs.


Full Height Single Door Triple Rollout Shelf Bases



Model	Description	Width	Height	Depth
B18FH3RS	Cabinet Dimension	18	34 1/2	24
	Door Dimension	17 1/2	29	3/4
	Rollout Shelf	12 1/4	2 1/2	19 3/4
B21FH3RS	Cabinet Dimension	21	34 1/2	24
	Door Dimension	20 1/2	29	3/4
	Rollout Shelf	15 1/4	2 1/2	19 3/4

- This item will ship in five boxes when ordered as flat pack.
- Rollout Trays are undermount soft close.
- Rollout Trays recommended maximum weight is 40lbs.


Full Height Double Door Single Rollout Shelf Bases



Model	Description	Width	Height	Depth
B24FH1RS	Cabinet Dimension	24	34 1/2	24
	Door Dimension	11 3/4	29	3/4
	Rollout Shelf	18 1/4	2 1/2	19 3/4
B27FH1RS	Cabinet Dimension	27	34 1/2	24
	Door Dimension	13 1/4	29	3/4
	Rollout Shelf	21 1/4	2 1/2	19 3/4
B30FH1RS	Cabinet Dimension	30	34 1/2	24
	Door Dimension	14 3/4	29	3/4
	Rollout Shelf	24 1/4	2 1/2	19 3/4
B33FH1RS	Cabinet Dimension	33	34 1/2	24
	Door Dimension	16 1/4	29	3/4
	Rollout Shelf	27 1/4	2 1/2	19 3/4
B36FH1RS	Cabinet Dimension	36	34 1/2	24
	Door Dimension	17 3/4	29	3/4
	Rollout Shelf	30 1/4	2 1/2	19 3/4

- This item will ship in three boxes when ordered as flat pack.
- Rollout Trays are undermount soft close.
- Rollout Trays recommended maximum weight is 40lbs.


Full Height Double Door Double Rollout Shelf Bases



Model	Description	Width	Height	Depth
B24FH2RS	cabinet Dimension	24	34 1/2	24
	Door Dimension	11 3/4	29	3/4
	Rollout Shelf	18 1/4	2 1/2	19 3/4
B27FH2RS	Cabinet Dimension	27	34 1/2	24
	Door Dimension	13 1/4	29	3/4
	Rollout Shelf	21 1/4	2 1/2	19 3/4
B30FH2RS	Cabinet Dimension	30	34 1/2	24
	Door Dimension	14 3/4	29	3/4
	Rollout Shelf	24 1/4	2 1/2	19 3/4
B33FH2RS	Cabinet Dimension	33	34 1/2	24
	Door Dimension	16 1/4	29	3/4
	Rollout Shelf	27 1/4	2 1/2	19 3/4
B36FH2RS	Cabinet Dimension	36	34 1/2	24
	Door Dimension	17 3/4	29	3/4
	Rollout Shelf	30 1/4	2 1/2	19 3/4


- This item will ship in four boxes when ordered as flat pack.
- Rollout Trays are undermount soft close.
- Rollout Trays recommended maximum weight is 40lbs.

Full Height Double Door Triple Rollout Shelf Bases




Model	Description	Width	Height	Depth
B24FH3RS	cabinet Dimension	24	34 1/2	24
	Door Dimension	11 3/4	29	3/4
	Rollout Shelf	18 1/4	2 1/2	19 3/4
B27FH3RS	Cabinet Dimension	27	34 1/2	24
	Door Dimension	13 1/4	29	3/4
	Rollout Shelf	21 1/4	2 1/2	19 3/4
B30FH3RS	Cabinet Dimension	30	34 1/2	24
	Door Dimension	14 3/4	29	3/4
	Rollout Shelf	24 1/4	2 1/2	19 3/4
B33FH3RS	Cabinet Dimension	33	34 1/2	24
	Door Dimension	16 1/4	29	3/4
	Rollout Shelf	27 1/4	2 1/2	19 3/4
B36FH3RS	Cabinet Dimension	36	34 1/2	24
	Door Dimension	17 3/4	29	3/4
	Rollout Shelf	30 1/4	2 1/2	19 3/4

- This item will ship in five boxes when ordered as flat pack.
- Rollout Trays are undermount soft close.
- Rollout Trays recommended maximum weight is 40lbs.

Single Door / Single Drawer Single Rollout Shelf Bases



Model	Description	Width	Height	Depth
B181RS	Cabinet Dimension	18	34 1/2	24
	Door Dimension	17 1/2	22 1/2	3/4
	Drawer Front	17 1/2	6 1/4	3/4
	Drawer Box	13 3/8	3 1/8	19 3/4
	Rollout Shelf	12 1/4	2 1/2	19 3/4
B211RS	Cabinet Dimension	21	34 1/2	24
	Door Dimension	20 1/2	22 1/2	3/4
	Drawer Front	20 1/2	6 1/4	3/4
	Drawer Box	16 3/8	3 1/8	19 3/4
	Rollout Shelf	15 1/4	2 1/2	19 3/4

- This item will ship in two boxes when ordered as flat pack.
- Rollout Trays are undermount soft close.
- Rollout Trays recommended maximum weight is 40lbs

Single Door / Single Drawer Double Rollout Shelf Bases


Model	Description	Width	Height	Depth
B182RS	Cabinet Dimension	18	34 1/2	24
	Door Dimension	17 1/2	22 1/2	3/4
	Drawer Front	17 1/2	6 1/4	3/4
	Drawer Box	13 3/8	3 1/8	19 3/4
	Rollout Shelf	12 1/4	2 1/2	19 3/4
B212RS	Cabinet Dimension	21	34 1/2	24
	Door Dimension	20 1/2	22 1/2	3/4
	Drawer Front	20 1/2	6 1/4	3/4
	Drawer Box	16 3/8	3 1/8	19 3/4
	Rollout Shelf	15 1/4	2 1/2	19 3/4


- This item will ship in three boxes when ordered as flat pack.
- Rollout Shelf glides are side mounted ball bearing with no soft close.
- Rollout Trays recommended maximum weight is 40lbs.

Double Door / Single Drawer Single Rollout Shelf Bases


Model	Description	Width	Height	Depth
B241RS	Cabinet Dimension	24	34 1/2	24
	Door Dimension	11 3/4	22 1/2	3/4
	Drawer Front	23 1/2	6 1/4	3/4
	Drawer Box	19 3/8	3 1/8	19 3/4
	Rollout Shelf	18 1/4	2 1/2	19 3/4
B271RS	Cabinet Dimension	27	34 1/2	24
	Door Dimension	13 2/9	22 1/2	3/4
	Drawer Front	26 1/2	6 1/4	3/4
	Drawer Box	22 3/8	3 1/8	19 3/4
	Rollout Shelf	21 1/4	2 1/2	19 3/4
B301RS	Cabinet Dimension	30	34 1/2	24
	Door Dimension	14 5/7	22 1/2	3/4
	Drawer Front	29 1/2	6 1/4	3/4
	Drawer Box	25 3/8	3 1/8	19 3/4
	Rollout Shelf	24 1/4	2 1/2	19 3/4


- This item will ship in two boxes when ordered as flat pack.
- Rollout Trays are undermount soft close.
- Rollout Trays recommended maximum weight is 40lbs.

Double Door / Single Drawer Double Rollout Shelf Bases




Model	Description	Width	Height	Depth
B242RS	Cabinet Dimension	24	34 1/2	24
	Door Dimension	11 3/4	22 1/2	3/4
	Drawer Front	23 1/2	6 1/4	3/4
	Drawer Box	19 3/8	3 1/8	19 3/4
	Rollout Shelf	18 1/4	2 1/2	19 3/4
B272RS	Cabinet Dimension	27	34 1/2	24
	Door Dimension	13 2/9	22 1/2	3/4
	Drawer Front	26 1/2	6 1/4	3/4
	Drawer Box	22 3/8	3 1/8	19 3/4
	Rollout Shelf	21 1/4	2 1/2	19 3/4
B302RS	Cabinet Dimension	30	34 1/2	24
	Door Dimension	14 5/7	22 1/2	3/4
	Drawer Front	29 1/2	6 1/4	3/4
	Drawer Box	25 3/8	3 1/8	19 3/4
	Rollout Shelf	24 1/4	2 1/2	19 3/4

- This item will ship in three boxes when ordered as flat pack.
- Rollout Trays are undermount soft close.
- Rollout Trays recommended maximum weight is 40lbs.

Double Door / Double Drawer Single Rollout Shelf Bases


Model	Description	Width	Height	Depth
B331RS	Cabinet Dimension	33	34 1/2	24
	Door Dimension	16 2/9	22 1/2	3/4
	Drawer Front	16 2/9	6 1/4	3/4
	Drawer Box	12	3 1/8	19 3/4
	Rollout Shelf	27 1/4	2 1/2	19 3/4
B361RS	Cabinet Dimension	36	34 1/2	24
	Door Dimension	17 5/7	22 1/2	3/4
	Drawer Front	17 5/7	6 1/4	3/4
	Drawer Box	13 1/2	3 1/8	19 3/4
	Rollout Shelf	30 1/4	2 1/2	19 3/4


- This item will ship in two boxes when ordered as flat pack.
- Rollout Trays are undermount soft close.
- Rollout Trays recommended maximum weight is 40lbs.

Double Door / Double Drawer Double Rollout Shelf Bases


Model	Description	Width	Height	Depth
B332RS	Cabinet Dimension	33	34 1/2	24
	Door Dimension	16 2/9	22 1/2	3/4
	Drawer Front	16 2/9	6 1/4	3/4
	Drawer Box	12	3 1/8	19 3/4
	Rollout Shelf	27 1/4	2 1/2	19 3/4
B362RS	Cabinet Dimension	36	34 1/2	24
	Door Dimension	17 5/7	22 1/2	3/4
	Drawer Front	17 5/7	6 1/4	3/4
	Drawer Box	13 1/2	3 1/8	19 3/4
	Rollout Shelf	30 1/4	2 1/2	19 3/4


- This item will ship in three boxes when ordered as flat pack.
- Rollout Trays are undermount soft close.
- Rollout Trays recommended maximum weight is 40lbs.

Full Height Single Door Base W/ Spice Pullout




Model	Description	Width	Height	Depth
BT9PO	Cabinet Dimension	9	34 1/2	24
	Door Dimension	8 1/2	29	3/4
	Pullout Dimension	6	25 1/2	22 3/4


Full Height Single Door Base W/ Single Trash Can Pullout



Model	Description	Width	Height	Depth
B15FHTCPO	Cabinet Dimension	15	34 1/2	24
	Door Dimension	14 1/2	29	3/4
	Pullout Dimension	12	11 1/4	21
	Trashcan Dimension	13 3/8	3 1/8	16 3/4


Full Height Single Door Base W/ Double Trash Can Pullout


Model	Description	Width	Height	Depth
B18FHTCPO	Cabinet Dimension	18	34 1/2	24
	Door Dimension	17 1/2	29	3/4
	Pullout Dimension	17 1/2	11 1/4	21
	Trashcan Dimension	-	-	-
B21FHTCPO	Cabinet Dimension	21	34 1/2	24
	Door Dimension	20 1/2	29	3/4
	Pullout Dimension	18	11 1/4	21
	Trashcan Dimension	-	-	-

Single Door / Single Drawer Base W/ Single Trash Can Pullout



Model	Description	Width	Height	Depth
B15TCPO	Cabinet Dimension	15	34 1/2	24
	Door Dimension	14 1/2	22 1/2	3/4
	Drawer Front	14 1/2	6 1/4	3/4
	Drawer Box	11 or 12	3 7/8	21
	Pullout Dimension	12	11 1/4	21
	Trashcan Dimension	-	-	-

Single Door / Single Drawer Base W/ Double Trash Can Pullout




Model	Description	Width	Height	Depth
B18TCPO	Cabinet Dimension	18	34 1/2	24
	Door Dimension	17 1/2	22 1/2	3/4
	Drawer Front	17 1/2	6 1/4	3/4
	Drawer Box	14 or 15	3 1/4	21
	Pullout Dimension	15	11 1/4	21
	Trashcan Dimension	-	-	-
B21TCPO	Cabinet Dimension	21	34 1/2	24
	Door Dimension	20 1/2	22 1/2	3/4
	Drawer Front	20 1/2	6 1/4	3/4
	Drawer Box	17 or 18	3 1/4	21
	Pullout Dimension	18	11 1/4	21
	Trashcan Dimension	-	-	-

Single Door Walls 30" High




Model	Description	Width	Height	Depth
W0930	Cabinet Dimension	9	30	12
	Door Dimension	8 1/2	29	3/4
W1230	Cabinet Dimension	12	30	12
	Door Dimension	11 1/2	29	3/4
W1530	Cabinet Dimension	15	30	12
	Door Dimension	14 1/2	29	3/4
W1830	Cabinet Dimension	18	30	12
	Door Dimension	17 1/2	29	3/4
W2130	Cabinet Dimension	21	30	12
	Door Dimension	20 1/2	29	3/4


Double Door Walls 30" High



Model	Description	Width	Height	Depth
W2430	Cabinet Dimension	24	30	12
	Door Dimension	11 3/4	29	3/4
W2730	Cabinet Dimension	27	30	12
	Door Dimension	13 2/9	29	3/4
W3030	Cabinet Dimension	30	30	12
	Door Dimension	14 5/7	29	3/4
W3330	Cabinet Dimension	33	30	12
	Door Dimension	16 2/9	29	3/4
W3630	Cabinet Dimension	36	30	12
	Door Dimension	17 5/7	29	3/4


Single Door Walls 36" High


Model	Description	Width	Height	Depth
W0936	Cabinet Dimension	9	36	12
	Door Dimension	8 1/2	35	3/4
W1236	Cabinet Dimension	12	36	12
	Door Dimension	11 1/2	35	3/4
W1536	Cabinet Dimension	15	36	12
	Door Dimension	14 1/2	35	3/4
W1836	Cabinet Dimension	18	36	12
	Door Dimension	17 1/2	35	3/4
W2136	Cabinet Dimension	21	36	12
	Door Dimension	20 1/2	35	3/4

Double Door Walls 36" High



Model	Description	Width	Height	Depth
W2436	Cabinet Dimension	24	36	12
	Door Dimension	11 3/4	35	3/4
W2736	Cabinet Dimension	27	36	12
	Door Dimension	13 2/9	35	3/4
W3036	Cabinet Dimension	30	36	12
	Door Dimension	14 5/7	35	3/4
W3336	Cabinet Dimension	33	36	12
	Door Dimension	16 2/9	35	3/4
W3636	Cabinet Dimension	36	36	12
	Door Dimension	17 5/7	35	3/4

Single Door Walls 42" High




Model	Description	Width	Height	Depth
W0942	Cabinet Dimension	9	42	12
	Door Dimension	8 1/2	41	3/4
W1242	Cabinet Dimension	12	42	12
	Door Dimension	11 1/2	41	3/4
W1542	Cabinet Dimension	15	42	12
	Door Dimension	14 1/2	41	3/4
W1842	Cabinet Dimension	18	42	12
	Door Dimension	17 1/2	41	3/4
W2142	Cabinet Dimension	21	42	12
	Door Dimension	20 1/2	41	3/4

Double Door Walls 42" High



Model	Description	Width	Height	Depth
W2442	Cabinet Dimension	24	42	12
	Door Dimension	11 3/4	41	3/4
W2742	Cabinet Dimension	27	42	12
	Door Dimension	13 2/9	41	3/4
W3042	Cabinet Dimension	30	42	12
	Door Dimension	14 5/7	41	3/4
W3342	Cabinet Dimension	33	42	12
	Door Dimension	16 2/9	41	3/4
W3642	Cabinet Dimension	36	42	12
	Door Dimension	17 5/7	41	3/4


Diagonal Corner Wall Cabinet



Model	Description	Width	Height	Depth
DCW2430	Cabinet Dimension	24	30	12
	Door Dimension	15 1/4	29	3/4
DCW2436	Cabinet Dimension	24	36	12
	Door Dimension	15 1/4	35	3/4
DCW2442	Cabinet Dimension	24	42	12
	Door Dimension	15 1/4	41	3/4

- DCW Inside Openings are 12 1/8\"W.

Wall Easy Reach 24\" Wide




Model	Description	Width	Height	Depth
WER2430	Cabinet Dimension	24	30	12
	Door Dimension	10 7/8	29	3/4
WER2436	Cabinet Dimension	24	36	12
	Door Dimension	10 7/8	35	3/4
WER2442	Cabinet Dimension	24	42	12
	Door Dimension	10 7/8	41	3/4

Wall Blind Cabinet 24" Wide




Model	Description	Width	Height	Depth
WBC2430	Cabinet Dimension	24	30	12
	Door Dimension	10 1/4	29	3/4
	Door Opening	7 3/4	27	10 3/4
WBC2436	Cabinet Dimension	24	36	12
	Door Dimension	10 1/4	35	3/4
	Door Opening	7 3/4	33	10 3/4
WBC2442	Cabinet Dimension	24	42	12
	Door Dimension	10 1/4	41	3/4
	Door Opening	7 3/4	39	10 3/4

- Filler required between blind cabinet and adjacent cabinet (filler not included)
- 42" high cabinets will have three adjustable shelves included.




Model	A	B		C	D
	Act	Min	Max	Filler (Min)	Stile
WBC24	24"	25"	29 1/2"	1 1/2"	6 1/2"

Wall Blind Cabinet 27" Wide





Model	Description	Width	Height	Depth
WBC2730	Cabinet Dimension	27	30	12
	Door Dimension	13 1/4	29	3/4
	Door Opening	10 3/4	27	10 3/4
WBC2736	Cabinet Dimension	27	36	12
	Door Dimension	13 1/4	35	3/4
	Door Opening	10 3/4	33	10 3/4
WBC2742	Cabinet Dimension	27	42	12
	Door Dimension	13 1/4	41	3/4
	Door Opening	10 3/4	39	10 3/4

- Filler required between blind cabinet and adjacent cabinet (filler not included)
- 42" high cabinets will have three adjustable shelves included.



Model	A	B		C	D
	Act	Min	Max	Filler (Min)	Stile
WBC27	27"	28"	32 1/2"	1 1/2"	6 1/2"

Wall Blind Cabinet 30" Wide




Model	Description	Width	Height	Depth
WBC3030	Cabinet Dimension	30	30	12
	Door Dimension	16 1/4	29	3/4
	Door Opening	13 3/4	27	10 3/4
WBC3036	Cabinet Dimension	30	36	12
	Door Dimension	16 1/4	35	3/4
	Door Opening	13 3/4	33	10 3/4
WBC3042	Cabinet Dimension	30	42	12
	Door Dimension	16 1/4	41	3/4
	Door Opening	13 3/4	39	10 3/4

- Filler required between blind cabinet and adjacent cabinet (filler not included)
- 42" high cabinets will have three adjustable shelves included.

Model	A	B		C	D
	Act	Min	Max	Filler (Min)	Stile
WBC30	30"	31"	35 1/2"	1 1/2"	6 1/2"

Double Door Bridge Cabinet 30" Wide



Model	Description	Width	Height	Depth
W3012	Cabinet Dimension	30	12	12
	Door Dimension	14 5/7	11	3/4
W3015	Cabinet Dimension	30	15	12
	Door Dimension	14 5/7	14	3/4
W3018	Cabinet Dimension	30	18	12
	Door Dimension	14 5/7	17	3/4
W3024	Cabinet Dimension	30	24	12
	Door Dimension	14 5/7	23	3/4

- All 24"H cabinets include one inner shelf.


Double Door Bridge Cabinet 36" Wide



Model	Description	Width	Height	Depth
W3612	Cabinet Dimension	36	12	12
	Door Dimension	17 5/7	11	3/4
W3615	Cabinet Dimension	36	15	12
	Door Dimension	17 5/7	14	3/4
W3618	Cabinet Dimension	36	18	12
	Door Dimension	17 5/7	17	3/4
W3624	Cabinet Dimension	36	24	12
	Door Dimension	17 5/7	23	3/4


- All 24"H cabinets include one inner shelf.

Wall Refrigerator Cabinet 30" Wide




Model	Description	Width	Height	Depth
W301224	Cabinet Dimension	30	12	24
	Door Dimension	14 5/7	11	3/4
W301524	Cabinet Dimension	30	15	24
	Door Dimension	14 5/7	14	3/4
W301824	Cabinet Dimension	30	18	24
	Door Dimension	14 5/7	17	3/4
W302424	Cabinet Dimension	30	24	24
	Door Dimension	14 5/7	23	3/4

- All 24"H cabinets include one inner shelf.

Wall Refrigerator Cabinet 33" Wide


Model	Description	Width	Height	Depth
W331224	Cabinet Dimension	33	12	24
	Door Dimension	16 2/9	11	3/4
W331524	Cabinet Dimension	33	15	24
	Door Dimension	16 2/9	14	3/4
W331824	Cabinet Dimension	33	18	24
	Door Dimension	16 2/9	17	3/4
W332424	Cabinet Dimension	33	24	24
	Door Dimension	16 2/9	23	3/4


- All 24"H cabinets include one inner shelf.

Wall Refrigerator Cabinet 36" Wide


Model	Description	Width	Height	Depth
W361224	Cabinet Dimension	36	12	24
	Door Dimension	17 5/7	11	3/4
W361524	Cabinet Dimension	36	15	24
	Door Dimension	17 5/7	14	3/4
W361824	Cabinet Dimension	36	18	24
	Door Dimension	17 5/7	17	3/4
W362424	Cabinet Dimension	36	24	24
	Door Dimension	17 5/7	23	3/4

- All 24"H cabinets include one inner shelf.


Single Open Framed Glass Door Walls 30" High



Model	Description	Width	Height	Depth
W1530GD	Cabinet Dimension	15	30	12
	Door Dimension	14 1/2	29	3/4

- These cabinets do not come with glass.
- The interior is painted/stained to match the exterior.

Single Open Framed Glass Door Walls 36" High



Model	Description	Width	Height	Depth
W1536GD	Cabinet Dimension	15	36	12
	Door Dimension	14 1/2	35	3/4

- These cabinets do not come with glass.
- The interior is painted/stained to match the exterior.


Single Open Framed Glass Door Walls 42" High



Model	Description	Width	Height	Depth
W1542GD	Cabinet Dimension	15	42	12
	Door Dimension	14 1/2	41	3/4

- These cabinets do not come with glass.
- The interior is painted/stained to match the exterior.


Double Open Framed Glass Door Walls 30" High



Model	Description	Width	Height	Depth
W2430GD	Cabinet Dimension	24	30	12
	Door Dimension	11 3/4	29	3/4
W3030GD	Cabinet Dimension	30	30	12
	Door Dimension	14 5/7	29	3/4

- These cabinets do not come with glass.
- The interior is painted/stained to match the exterior.


Double Open Framed Glass Door Walls 36" High



Model	Description	Width	Height	Depth
W2436GD	Cabinet Dimension	24	36	12
	Door Dimension	11 3/4	35	3/4
W3036GD	Cabinet Dimension	30	36	12
	Door Dimension	14 5/7	35	3/4


- These cabinets do not come with glass.
- The interior is painted/stained to match the exterior.

Double Open Framed Glass Door Walls 42" High




Model	Description	Width	Height	Depth
W2442GD	Cabinet Dimension	24	42	12
	Door Dimension	11 3/4	41	3/4
W3042GD	Cabinet Dimension	30	42	12
	Door Dimension	14 5/7	41	3/4

- These cabinets do not come with glass.
- The interior is painted/stained to match the exterior.

Single Glass Door Stacker Cabinet 12" High


Model	Description	Width	Height	Depth
W1212GD	Cabinet Dimension	12	12	12
	Door Dimension	11 1/2	11	3/4
W1512GD	Cabinet Dimension	15	12	12
	Door Dimension	14 1/2	11	3/4
W1812GD	Cabinet Dimension	18	12	12
	Door Dimension	17 1/2	11	3/4
W2112GD	Cabinet Dimension	21	12	12
	Door Dimension	20 1/2	11	3/4


- All Stacker Glass Door Cabinets Include Glass
- The interior is painted/stained to match the exterior.

Double Glass Door Stacker Cabinet 12" High


Model	Description	Width	Height	Depth
W2412GD	Cabinet Dimension	24	12	12
	Door Dimension	11 3/4	11	3/4
W2712GD	Cabinet Dimension	27	12	12
	Door Dimension	13 2/9	11	3/4
W3012GD	Cabinet Dimension	30	12	12
	Door Dimension	14 5/7	11	3/4
W3312GD	Cabinet Dimension	33	12	12
	Door Dimension	16 2/9	11	3/4
W3612GD	Cabinet Dimension	36	12	12
	Door Dimension	17 5/7	11	3/4

- All Stacker Glass Door Cabinets Include Glass
- The interior is painted/stained to match the exterior.


Single Glass Door Stacker Cabinet 15" High



Model	Description	Width	Height	Depth
W1215GD	Cabinet Dimension	12	15	12
	Door Dimension	11 1/2	14	3/4
W1515GD	Cabinet Dimension	15	15	12
	Door Dimension	14 1/2	14	3/4
W1815GD	Cabinet Dimension	18	15	12
	Door Dimension	17 1/2	14	3/4
W2115GD	Cabinet Dimension	21	15	12
	Door Dimension	20 1/2	14	3/4

- All Stacker Glass Door Cabinets Include Glass
- The interior is painted/stained to match the exterior.


Double Glass Door Stacker Cabinet 15" High



Model	Description	Width	Height	Depth
W2415GD	Cabinet Dimension	24	15	12
	Door Dimension	11 3/4	14	3/4
W2715GD	Cabinet Dimension	27	15	12
	Door Dimension	13 2/9	14	3/4
W3015GD	Cabinet Dimension	30	15	12
	Door Dimension	14 5/7	14	3/4
W3315GD	Cabinet Dimension	33	15	12
	Door Dimension	16 2/9	14	3/4
W3615GD	Cabinet Dimension	36	15	12
	Door Dimension	17 5/7	14	3/4

- All Stacker Glass Door Cabinets Include Glass
- The interior is painted/stained to match the exterior.


Single Glass Door Stacker Cabinet 18" High



Model	Description	Width	Height	Depth
W1218GD	Cabinet Dimension	12	18	12
	Door Dimension	11 1/2	17	3/4
W1518GD	Cabinet Dimension	15	18	12
	Door Dimension	14 1/2	17	3/4
W1818GD	Cabinet Dimension	18	18	12
	Door Dimension	17 1/2	17	3/4
W2118GD	Cabinet Dimension	21	18	12
	Door Dimension	20 1/2	17	3/4

- All Stacker Glass Door Cabinets Include Glass
- The interior is painted/stained to match the exterior.


Double Glass Door Stacker Cabinet 18" High



Model	Description	Width	Height	Depth
W2418GD	Cabinet Dimension	24	18	12
	Door Dimension	11 3/4	17	3/4
W2718GD	Cabinet Dimension	27	18	12
	Door Dimension	13 2/9	17	3/4
W3018GD	Cabinet Dimension	30	18	12
	Door Dimension	14 5/7	17	3/4
W3318GD	Cabinet Dimension	33	18	12
	Door Dimension	16 2/9	17	3/4
W3618GD	Cabinet Dimension	36	18	12
	Door Dimension	17 5/7	17	3/4

- All Stacker Glass Door Cabinets Include Glass
- The interior is painted/stained to match the exterior.


Diagonal Corner Wall Glass Door Stacker Cabinet



Model	Description	Width	Height	Depth
DCW2412GD	Cabinet Dimension	24	12	12
	Door Dimension	15 1/4	11	3/4
DCW2415GD	Cabinet Dimension	24	15	12
	Door Dimension	15 1/4	14	3/4
DCW2418GD	Cabinet Dimension	24	18	12
	Door Dimension	15 1/4	17	3/4

- All Stacker Glass Door Cabinets Include Glass
- The interior is painted/stained to match the exterior.


Diagonal Corner Wall Glass Door Cabinet



Model	Description	Width	Height	Depth
DCW2430GD	Cabinet Dimension	24	30	12
	Door Dimension	15 1/4	29	3/4
DCW2436GD	Cabinet Dimension	24	36	12
	Door Dimension	15 1/4	35	3/4
DCW2442GD	Cabinet Dimension	24	42	12
	Door Dimension	15 1/4	41	3/4

- These cabinets do not come with glass.
- The interior is painted/stained to match the exterior.


Angle Wall Cabinet



Model	Description	Width	Height	Depth
AW1230	Cabinet Dimension	12	30	12
	Door Dimension	15 1/2	29	3/4
AW1236	Cabinet Dimension	12	36	12
	Door Dimension	15 1/2	35	3/4
AW1242	Cabinet Dimension	12	42	12
	Door Dimension	15 1/2	41	3/4

- Cabinet frame is 17"W.


Wall Open Cabinet



Model	Description	Width	Height	Depth
WOC3018	Cabinet Dimension	30	18	12

- Matching Finished Interior


Wall Microwave Shelf Kit



Model	Description	Width	Height	Depth
WMS3018	Cabinet Dimension	30	18	12
	Shelf Dimension	28 3/8	3/4	17 1/2

- This item will ship in two boxes when ordered as flat pack.


Wall X Rack Cabinet Kit



Model	Description	Width	Height	Depth
WXR3018	Cabinet Dimension	30	18	12
	Shelf Dimension	28 5/8	14 7/8	10 3/4

- This item will ship in two boxes when ordered as flat pack.


Wall Wine Cube



Model	Description	Width	Height	Depth
WCB630	Cabinet Dimension	30	6	12

- Has 6 Compartments.

Microwave Cabinet




Model	Description	Width	Height	Depth
MW3030B	Cabinet Dimension	30	30	18
	Microwave Opening	27	16 3/8	16 3/4
	Door Dimension	14 3/4	11	3/4
MW3036B	Cabinet Dimension	30	36	18
	Microwave Opening	27	16 3/8	16 3/4
	Door Dimension	14 3/4	17	3/4
MW3042B	Cabinet Dimension	30	42	18
	Microwave Opening	27	16 3/8	16 3/4
	Door Dimension	14 3/4	23	3/4

Wall with Drawers 18 Wide




Model	Description	Width	Height	Depth
WD1848	Cabinet Dimension	18	48	15
	Door Dimension	17 1/2	35	3/4
	Drawer Front	17 1/2	5 3/4	3/4
	Drawer Box	13 3/8	2 3/8	10 7/8
WD1854	Cabinet Dimension	18	54	15
	Door Dimension	17 1/2	41	3/4
	Drawer Front	17 1/2	5 3/4	3/4
	Drawer Box	13 3/8	2 3/8	10 7/8
WD1860	Cabinet Dimension	18	60	15
	Door Dimension	17 1/2	47	3/4
	Drawer Front	17 1/2	5 3/4	3/4
	Drawer Box	13 3/8	2 3/8	10 7/8

Utility Cabinet – Two Door


Model	Description	Width	Height	Depth
U188424	Cabinet Dimension	18	84	24
	Top Door Dimension	17 1/2	29	3/4
	Bottom Door Dimension	17 1/2	49 1/4	3/4
U189024	Cabinet Dimension	18	90	24
	Top Door Dimension	17 1/2	35	3/4
	Bottom Door Dimension	17 1/2	49 1/4	3/4
U189624	Cabinet Dimension	18	96	24
	Top Door Dimension	17 1/2	41	3/4
	Bottom Door Dimension	17 1/2	49 1/4	3/4


- Comes with a horizontal rail in the center of the bottom door.

Utility Cabinet – Four Door


Model	Description	Width	Height	Depth
U248424	Cabinet Dimension	24	84	24
	Top Door Dimension	11 3/4	29	3/4
	Bottom Door Dimension	11 3/4	49 1/4	3/4
U249024	Cabinet Dimension	24	90	24
	Top Door Dimension	11 3/4	35	3/4
	Bottom Door Dimension	11 3/4	49 1/4	3/4
U249624	Cabinet Dimension	24	96	24
	Top Door Dimension	11 3/4	41	3/4
	Bottom Door Dimension	11 3/4	49 1/4	3/4
U308424	Cabinet Dimension	30	84	24
	Top Door Dimension	14 5/7	29	3/4
	Bottom Door Dimension	14 5/7	49 1/4	3/4
U309024	Cabinet Dimension	30	90	24
	Top Door Dimension	14 5/7	35	3/4
	Bottom Door Dimension	14 5/7	49 1/4	3/4
U309624	Cabinet Dimension	30	96	24
	Top Door Dimension	14 5/7	41	3/4
	Bottom Door Dimension	14 5/7	49 1/4	3/4

- Comes with a horizontal rail in the center of the bottom door.

Utility Cabinet – Two Door Four Rollout Trays



Model	Description	Width	Height	Depth
U1884244RS	Cabinet Dimension	18	84	24
	Top Door Dimension	17 1/2	29	3/4
	Bottom Door Dimension	17 1/2	49 1/4	3/4
	Rollout Shelf	12 1/4	2 1/2	19 3/4
U1890244RS	Cabinet Dimension	18	90	24
	Top Door Dimension	17 1/2	35	3/4
	Bottom Door Dimension	17 1/2	49 1/4	3/4
	Rollout Shelf	12 1/4	2 1/2	19 3/4
U1896244RS	Cabinet Dimension	18	96	24
	Top Door Dimension	17 1/2	41	3/4
	Bottom Door Dimension	17 1/2	49 1/4	3/4
	Rollout Shelf	12 1/4	2 1/2	19 3/4


- Comes with a horizontal rail in the center of the bottom door.
- This item will ship in five boxes when ordered as flat pack.
- Rollout Trays are undermount soft close.
- Rollout Trays recommended maximum weight is 40lbs.

Utility Cabinet – Four Door Four Rollout Trays


Model	Description	Width	Height	Depth
U2484244RS	Cabinet Dimension	24	84	24
	Top Door Dimension	11 3/4	29	3/4
	Bottom Door Dimension	11 3/4	49 1/4	3/4
	Rollout Shelf	18 1/4	2 1/2	19 3/4
U2490244RS	Cabinet Dimension	24	90	24
	Top Door Dimension	11 3/4	35	3/4
	Bottom Door Dimension	11 3/4	49 1/4	3/4
	Rollout Shelf	18 1/4	2 1/2	19 3/4
U2496244RS	Cabinet Dimension	24	96	24
	Top Door Dimension	11 3/4	41	3/4
	Bottom Door Dimension	11 3/4	49 1/4	3/4
	Rollout Shelf	18 1/4	2 1/2	19 3/4
U3084244RS	Cabinet Dimension	30	84	24
	Top Door Dimension	14 5/7	29	3/4
	Bottom Door Dimension	14 5/7	49 1/4	3/4
	Rollout Shelf	24 1/4	2 1/2	19 3/4
U3090244RS	Cabinet Dimension	30	90	24
	Top Door Dimension	14 5/7	35	3/4
	Bottom Door Dimension	14 5/7	49 1/4	3/4
	Rollout Shelf	24 1/4	2 1/2	19 3/4
U3096244RS	Cabinet Dimension	30	96	24
	Top Door Dimension	14 5/7	41	3/4
	Bottom Door Dimension	14 5/7	49 1/4	3/4
	Rollout Shelf	24 1/4	2 1/2	19 3/4


- Comes with a horizontal rail in the center of the bottom door.
- This item will ship in five boxes when ordered as flat pack.
- Rollout Trays are undermount soft close.
- Rollout Trays recommended maximum weight is 40lbs.

Oven Cabinet




Model	Description	Width	Height	Depth
O338424	Cabinet Dimension	33	84	24
	Door Dimension	16 1/4	17	3/4
	Drawer Fronts	32 1/2	7 3/4	3/4
	Drawer Boxes	28 3/8	3 1/8	19 3/4
	Oven Opening	26 1/2 - 31 1/2	24 3/8 - 52	22 3/4
O339024	Cabinet Dimension	33	90	24
	Door Dimension	16 1/4	23	3/4
	Drawer Fronts	32 1/2	7 3/4	3/4
	Drawer Boxes	28 3/8	3 1/8	19 3/4
	Oven Opening	26 1/2 - 31 1/2	24 3/8 - 52	22 3/4
O339624	Cabinet Dimension	33	96	24
	Door Dimension	16 1/4	29	3/4
	Drawer Fronts	32 1/2	7 3/4	3/4
	Drawer Boxes	28 3/8	3 1/8	19 3/4
	Oven Opening	26 1/2 - 31 1/2	24 3/8 - 52	22 3/4

- Oven opening can be modified to accommodate a double oven.
- Height is trimmable up to 52" (approx) with removal of top drawers and cut down of top rail.
- Width is trimmable up to 31 1/2" (approx) with cut down of stiles.

Vanity Full Height Double Door Sink Base


Model	Description	Width	Height	Depth
VS24FH	Cabinet Dimension	24	34 1/2	21
	Door Dimension	11 3/4	29	3/4
VS27FH	Cabinet Dimension	27	34 1/2	21
	Door Dimension	13 1/4	29	3/4
VS30FH	Cabinet Dimension	30	34 1/2	21
	Door Dimension	14 3/4	29	3/4
VS36FH	Cabinet Dimension	36	34 1/2	21
	Door Dimension	17 3/4	29	3/4


- This item will ship in two boxes when ordered as flat pack.

Vanity Sink Base



Model	Description	Width	Height	Depth
VS24	Cabinet Dimension	24	34 1/2	21
	Door Dimension	11 3/4	22 1/2	3/4
	Drawer Front	23 1/2	6 1/4	3/4
VS27	Cabinet Dimension	27	34 1/2	21
	Door Dimension	13 1/4	22 1/2	3/4
	Drawer Front	26 1/2	6 1/4	3/4
VS30	Cabinet Dimension	30	34 1/2	21
	Door Dimension	14 3/4	22 1/2	3/4
	Drawer Front	29 1/2	6 1/4	3/4
VS36	Cabinet Dimension	36	34 1/2	21
	Door Dimension	17 3/4	22 1/2	3/4
	Drawer Front	17 3/4	6 1/4	3/4

- VS36 Comes with Two False Drawer Fronts.

Vanity Three Drawer Base Cabinet




Model	Description	Width	Height	Depth
VDB12-3	Cabinet Dimension	12	34 1/2	21
	Top Drawer Front	11 1/2	6 1/4	3/4
	Bottom Drawer Front	11 1/2	11 1/8	3/4
	Top Drawer Box	7 3/8	3 1/8	16 3/4
	Bottom Drawer Box	7 3/8	7 3/8	16 3/4
VDB15-3	Cabinet Dimension	15	34 1/2	21
	Top Drawer Front	14 1/2	6 1/4	3/4
	Bottom Drawer Front	14 1/2	11 1/8	3/4
	Top Drawer Box	10 3/8	3 1/8	16 3/4
	Bottom Drawer Box	10 3/8	7 3/8	16 3/4
VDB18-3	Cabinet Dimension	18	34 1/2	21
	Top Drawer Front	17 1/2	6 1/4	3/4
	Bottom Drawer Front	17 1/2	11 1/8	3/4
	Top Drawer Box	13 3/8	3 1/8	16 3/4
	Bottom Drawer Box	13 3/8	7 3/8	16 3/4
VDB24-3	Cabinet Dimension	24	34 1/2	21
	Top Drawer Front	23 1/2	6 1/4	3/4
	Bottom Drawer Front	23 1/2	11 1/8	3/4
	Top Drawer Box	19 3/8	3 1/8	16 3/4
	Bottom Drawer Box	19 3/8	7 3/8	16 3/4

Vanity Sink Drawer Base 30"



- V3021DL Comes with Drawers on the left
- V3021DR Comes with Drawers on the Right

Model	Description	Width	Height	Depth
V3021DL	Cabinet Dimension	30	34 1/2	21
	Top Drawer Front	11 1/2	6 1/4	3/4
	Bottom Drawer Front	11 1/2	11 1/8	3/4
	Top Long Drawer Front	17 1/2	6 1/4	3/4
	Top Drawer Box	7 3/8	3 1/8	16 3/4
	Bottom Drawer Box	7 3/8	7 3/8	16 3/4
	Door Dimension	17 1/2	22 1/2	3/4
V3021DR	Cabinet Dimension	30	34 1/2	21
	Top Drawer Front	11 1/2	6 1/4	3/4
	Bottom Drawer Front	11 1/2	11 1/8	3/4
	Top Long Drawer Front	17 1/2	6 1/4	3/4
	Top Drawer Box	7 3/8	3 1/8	16 3/4
	Bottom Drawer Box	7 3/8	7 3/8	16 3/4
	Door Dimension	17 1/2	22 1/2	3/4

Vanity Sink Drawer Base 36"



- V3621DL Comes with Drawers on the left
- V3621DR Comes with Drawers on the Right

Model	Description	Width	Height	Depth
V3621DL	Cabinet Dimension	36	34 1/2	21
	Top Drawer Front	11 1/2	6 1/4	3/4
	Bottom Drawer Front	11 1/2	11 1/8	3/4
	Top Long Drawer Front	23 1/2	6 1/4	3/4
	Top Drawer Box	7 3/8	3 1/8	16 3/4
	Bottom Drawer Box	7 3/8	7 3/8	16 3/4
	Door Dimension	11 3/4	22 1/2	3/4
V3621DR	Cabinet Dimension	36	34 1/2	21
	Top Drawer Front	11 1/2	6 1/4	3/4
	Bottom Drawer Front	11 1/2	11 1/8	3/4
	Top Long Drawer Front	23 1/2	6 1/4	3/4
	Top Drawer Box	7 3/8	3 1/8	16 3/4
	Bottom Drawer Box	7 3/8	7 3/8	16 3/4
	Door Dimension	11 3/4	22 1/2	3/4

Vanity Drawer Sink Combo



Model	Description	Width	Height	Depth
VSD36	Cabinet Dimension	36	34 1/2	21
	Door Dimension	17 3/4	22 1/2	3/4
	Outside Drawer Front	10 3/8	6 1/4	3/4
	Center Drawer Front	14 1/2	6 1/4	3/4
	Drawer Box	6 1/4	3 1/8	16 3/4
VSD42	Cabinet Dimension	42	34 1/2	21
	Door Dimension	20 3/4	22 1/2	3/4
	Outside Drawer Front	11 1/2	6 1/4	3/4
	Center Drawer Front	18 1/4	6 1/4	3/4
	Drawer Box	7 3/8	3 1/8	16 3/4
VSD48	Cabinet Dimension	48	34 1/2	21
	Door Dimension	23 3/4	22 1/2	3/4
	Outside Drawer Front	14 1/2	6 1/4	3/4
	Center Drawer Front	18 1/4	6 1/4	3/4
	Drawer Box	10 3/8	3 1/8	16 3/4

- The VSD42 & VSD48 have a center stile.

Vanity Single Door / Double Drawer Combo Base


Model	Description	Width	Height	Depth
VDDB42	Cabinet Dimension	42	34 1/2	21
	Top Drawer Front	11 1/2	6 1/4	3/4
	Bottom Drawer Front	11 1/2	11 1/8	3/4
	Top Long Drawer Front	17 1/2	6 1/4	3/4
	Top Drawer Box	7 3/8	3 1/8	16 3/4
	Bottom Drawer Box	7 3/8	7 3/8	16 3/4
	Door Dimension	17 1/2	22 1/2	3/4


Vanity Double Door / Double Drawer Combo Base



Model	Description	Width	Height	Depth
VDDDB48	Cabinet Dimension	48	34 1/2	21
	Top Drawer Front	11 1/2	6 1/4	3/4
	Bottom Drawer Front	11 1/2	11 1/8	3/4
	Top Long Drawer Front	23 1/2	6 1/4	3/4
	Top Drawer Box	7 3/8	3 1/8	16 3/4
	Bottom Drawer Box	7 3/8	7 3/8	16 3/4
	Door Dimension	11 3/4	22 1/2	3/4




Large Angle Crown Moulding



Model	Description	Width	Height	Depth
LACM8	Dimension	96	3	3

- All 96" trims can be trimmed to 84" to accommodate for ground shipping when ordered.


Angle Crown Moulding



Model	Description	Width	Height	Depth
ACM8	Dimension	96	1 3/4	1 7/8

- All 96" trims can be trimmed to 84" to accommodate for ground shipping when ordered.


Cove Moulding



Model	Description	Width	Height	Depth
COV	Dimension	96	3 1/4	3 7/8

- All 96" trims can be trimmed to 84" to accommodate for ground shipping when ordered.


Decorative Crown Moulding



Model	Description	Width	Height	Depth
DCM	Dimension	96	3	2

- All 96" trims can be trimmed to 84" to accommodate for ground shipping when ordered.


Traditional Light Rail Moulding



Model	Description	Width	Height	Depth
LRM	Dimension	96	1 1/8	1 1/2

- All 96" trims can be trimmed to 84" to accommodate for ground shipping when ordered.


Shaker Light Rail Moulding



Model	Description	Width	Height	Depth
LRM8-S	Dimension	96	3/4	1 1/2

- All 96" trims can be trimmed to 84" to accommodate for ground shipping when ordered.


Outside Corner Moulding



Model	Description	Width	Height	Depth
OCM	Dimension	96	3/4	3/4

- All 96" trims can be trimmed to 84" to accommodate for ground shipping when ordered.

Batten Moulding



Model	Description	Width	Height	Depth
BAM	Dimension	96	3/4	1/4

- All 96" trims can be trimmed to 84" to accommodate for ground shipping when ordered.

Scribe Moulding



Model	Description	Width	Height	Depth
SCR	Dimension	96	3/4	1/4

- All 96" trims can be trimmed to 84" to accommodate for ground shipping when ordered.


Shoe Moulding



Model	Description	Width	Height	Depth
SHM	Dimension	96	3/4	1/2

- All 96" trims can be trimmed to 84" to accommodate for ground shipping when ordered.


Toe Kick



Model	Description	Width	Height	Depth
TKC	Dimension	96	4 1/2	1/4

- All 96" trims can be trimmed to 84" to accommodate for ground shipping when ordered.


Traditional Furniture Base Moulding



Model	Description	Width	Height	Depth
FBM8-T	Dimension	96	4 1/2	3/4

- All 96" trims can be trimmed to 84" to accommodate for ground shipping when ordered.


Shaker Furniture Base Moulding



Model	Description	Width	Height	Depth
FBM8-S	Dimension	96	4 1/2	3/4


- All 96" trims can be trimmed to 84" to accommodate for ground shipping when ordered.

Base/Wall Filler



Model	Description	Width	Height	Depth
F342	Dimension	3	42	3/4
F642	Dimension	6	42	3/4


Tall Filler



Model	Description	Width	Height	Depth
F396	Dimension	3	96	3/4
F696	Dimension	6	96	3/4

- All 96" trims can be trimmed to 84" to accommodate for ground shipping when ordered.


Decorative Filler Overlay



Model	Description	Width	Height	Depth
FOL630	Dimension	5 1/2	29	3/4
FOL636	Dimension	5 1/2	35	3/4
FOL642	Dimension	5 1/2	41	3/4

- Filler overlays have a matching door profile.
- 6" filler required for application (purchased separately)


1/4 Base Skin Panel



Model	Description	Width	Height	Depth
BSV	Dimension	23 1/4	34 1/2	1/4

- Only finished on one side.


1/4" Wall Skin Panel



Model	Description	Width	Height	Depth
WSV42	Dimension	15	42	1/4

- Only finished on one side


1/4 Tall Skin Panel



Model	Description	Width	Height	Depth
USV2496	Dimension	23 1/4	96	1/4

- Only finished on one side.


1/4 Finished Veneer Panel



Model	Description	Width	Height	Depth
FPV4296	Dimension	42	96	1/4


- Grain runs long way.
- Only finished on one side

Finished Bead Board Plywood Panel



Model	Description	Width	Height	Depth
BBFPV4296	Dimension	42	96	1/4


Shelf Board



Model	Description	Width	Height	Depth
S2496	Dimension	24	96	3/4
S3696	Dimension	36	96	3/4


- All four sides are edge banded to match.
- Finished on both sides

Dishwasher Return Panel



Model	Description	Width	Height	Depth
DWR3	Dimension	3	34 1/2	24


Refrigerator Panel



Model	Description	Width	Height	Depth
REP3096	Dimension	1 1/2	96	30


- REPVKIT available with (4) metal L-Brackets to attach the front filler piece to the panel.

Base Decorative End Panel



Model	Description	Width	Height	Depth
BDEP	Dimension	23 1/2	29	3/4

Wall Decorative End Panel



Model	Description	Width	Height	Depth
WDEP1212	Dimension	11 1/2	11	3/4
WDEP1215	Dimension	11 1/2	14	3/4
WDEP1218	Dimension	11 1/2	17	3/4
WDEP30	Dimension	11 1/2	29	3/4
WDEP36	Dimension	11 1/2	35	3/4
WDEP42	Dimension	11 1/2	41	3/4


Tall Decorative Panel



Model	Description	Width	Height	Depth
TDEP2484	Dimension	23 1/2	78 1/4	3/4
TDEP2490	Dimension	23 1/2	84 1/4	3/4
TDEP2496	Dimension	23 1/2	90 1/4	3/4

- Bottom panel has a center horizontal rail.

Vanity Decorative End Panel




Model	Description	Width	Height	Depth
VDEP	Dimension	20 1/2	29	3/4

Traditional Corbel




Model	Description	Width	Height	Depth
CBT	Dimension	3 1/8	13	5 7/8

Modern Corbel




Model	Description	Width	Height	Depth
MCB	Dimension	3 1/2	12	9

Classic Decorative Leg




Model	Description	Width	Height	Depth
CLDL	Dimension	3	34 1/2	3

Square Decorative Leg



Model	Description	Width	Height	Depth
SQDL	Dimension	3	34 1/2	3


Stem Glass Holder



Model	Description	Width	Height	Depth
SGH30	Dimension	30	1 1/2	12

- Allows for stemmed glasses with bases up to 3"W.


Valance



Model	Description	Width	Height	Depth
VASH48	Dimension	48	6	3/4

- Trimmable on each side by 1 1/4"
- Finished on both sides and two long edges


Floating Shelf



Model	Description	Width	Height	Depth
FLSH36	Dimension	46	2 1/8	11
FLSH48	Dimension	48	2 1/8	11
FLSH60	Dimension	60	2 1/8	11

- 36"W floating shelf only has one mounting bracket.
- Recommended Max Weight: 25lbs

Roll Out Tray



Model	Description	Width	Height	Depth
ROT18	Dimension	13 1/2	3 3/8	21
	Interior Dimension	12 1/4	2 1/2	19 3/4
ROT21	Dimension	16 1/2	3 3/8	21
	Interior Dimension	15 1/4	2 1/2	19 3/4
ROT24	Dimension	19 1/2	3 3/8	21
	Interior Dimension	18 1/4	2 1/2	19 3/4
ROT27	Dimension	22 1/2	3 3/8	21
	Interior Dimension	21 1/4	2 1/2	19 3/4
ROT30	Dimension	25 1/2	3 3/8	21
	Interior Dimension	24 1/4	2 1/2	19 3/4
ROT33	Dimension	28 1/2	3 3/8	21
	Interior Dimension	27 1/4	2 1/2	19 3/4
ROT36	Dimension	31 1/2	3 3/8	21
	Interior Dimension	30 1/4	2 1/2	19 3/4

- Glides are undermount soft close.

Touch Up Kit



Model	Description	Width	Height	Depth
TUK	Touch Up Kit	7	1	2

Product Construction & Materials

- **What are “RTA” cabinets?**

RTA stands for “Ready To Assemble”, meaning the cabinets are manufactured in prefabricated parts and packaged in unassembled “flat-packs” with hardware, providing customers the opportunity to receive high quality materials at more affordable prices.

- **Where are the cabinets manufactured?**

Blackwood Cabinets manufactures in Vietnam.

- **Are your cabinets compliant with CARB II ?**

Yes, all Blackwood Cabinets products are 100% in compliance with CARB Phase 1 & CARB Phase 2 defined guidelines of composite wood products.

- **Do you offer assembly and modifications options?**

Blackwood will offer a broad range of assembly and modification options to accommodate your project needs. Please refer to the website for specific timing and location of assembly and modification options near you.

- **What tools are needed for RTA assembly if received as a flat-pack?**

To assemble RTA cabinets you will need a rubber mallet, a philips head screwdriver, a drill with a philips head bit, a box cutter, and wood glue.

- **Do you use plywood or particle board?**

We do not use particle board. Our cabinet boxes are constructed from furniture-grade CARB2 compliant plywood. All stained finished doors, drawer fronts, and frames are constructed from 3/4” solid Birch or Oak hardwood. Our painted styles feature an all-HDF door.

- **What types of finishes are available (paint, stain, veneer, etc.)?**

Blackwood offers painted and stained finishes.

- **Do I need additional panels for exposed ends or islands?**

All of our framed cabinets come with finished side panels to match the door and drawer fronts. However, the back of the cabinets will need to have a panel applied if exposed when creating an island.

- **Are soft-close hinges and drawer glides standard?**

Soft-close doors and drawers come standard on all cabinet collections.

- **Do you provide assembly or installation instructions?**

Assembly instructions are included in each box, as well as available online.

- **Are installation services available?**

Blackwood does not offer installation services; we work with businesses that can provide those services.

- **How do I align doors and drawers after installation?**

Blackwood uses 6-way adjustable hinges and glides that can be adjusted with either a Phillips head or by a rotating wheel within the mechanism. See the Care Guide for more detailed instructions.

- **How should I clean and maintain my cabinets?**

Clean damp cloths can be used on a regular basis to wipe your cabinets down, and only use mild cleaners sprayed on to a cloth, not on to the cabinet directly for a deeper clean.

Ordering & Customer Support

- **Do you sell directly to homeowners?**

No, Blackwood Cabinets Inc. distributes cabinetry to businesses that supply remodeling/new construction services to homeowners.

- **Do you have showrooms or design centers I can visit?**

Our distribution center and showroom are located at 3095 Chastain Meadows Pkwy, Bldg 200 Ste A, Kennesaw, GA 30144

- **How can I become an authorized Blackwood dealer or reseller?**

To become a dealer you must fill out the dealer application. Upon receipt of the application we will review your active business license and verify your business model to activate your account appropriately.

- **How do I request and order marketing materials, samples, or displays?**

Blackwood Cabinets has sales materials and samples available to download and order. As an approved dealer, your custom dealer portal will provide a full offering to support your business needs of samples, brochures, specbooks, and display opportunities to order as needed.

- **How can I contact customer support?**

You can reach us by email at info@blackwoodcabinets.com or call us at 470-634-6290.

- **How can I place an order?**

Approved dealers will have a secure log in to their customized dealer portal to see live inventory, review pricing, create and save quotes, and place orders 24/7 online at their convenience.

- **Do you have minimum or maximum orders?**

No, our system will allow you to order one piece of trim or 20 full kitchens at a time!

- **Do you offer any professional design support or 2020 / ProKitchen catalogs?**

Blackwood Cabinets has a 2020 (Design Flex) and ProKitchen catalog for our dealers to use for their designs, but does not provide the designing services.

- **Are touch up kits available?**

Every line has a matching touch up kit available to purchase when you place your order. Homeowners can contact their dealer for additional touch up kits or Blackwood customer service for help if their dealer is unavailable.

- **How can I replace damaged hinges, glides, or parts?**

Homeowners should contact their dealers to file their claims, who will work with Blackwood Cabinets directly through the Dealer Claims Portal and Customer Service for a solution.

- **What is the warranty period and coverage policy?**

Blackwood has a Limited Lifetime Warranty. [Click here](#) for full details.

- **What is your return policy?**

Returns are available for unopened flat-packed cabinets within 30 days of the order fulfillment. Upon receipt at the dealer's discretion and approval of sellable condition, a refund less a 15% restocking fee of the cabinet cost only (tax and shipping are nonrefundable) is returned to the dealer. Assembled cabinets, trims, and panels, are not eligible for return.

Shipping, Lead Times & Delivery

- **What is your fulfillment lead time?**

Blackwood will have flat pack orders ready within 2 business days to ship or pick up. Assembled orders will be ready in 5 business days.

- **How are cabinets packaged for shipment?**

Shipping orders are palletized, tightly wrapped in plastic, and strapped securely using proper freight standards. Pick up orders are kept in the cabinets original boxes, with trim repackaged and grouped for your specific needs. Small parcel orders will be padded, wrapped, or corner protected depending the products to protect against damage in smaller transit trucks.

- **What shipping methods do you use?**

Blackwood will use LTL "Less-Than-Truckload" carriers to ship kitchens at a time, such as R&L carriers. We will use small parcel trucks like FedEx for smaller pieces. And can even contract a full truckload driver if needed for larger multi unit orders.



● **Can I request delivery directly to the jobsite?**

All shipping services we use allow options to deliver to job sites or residential addresses as well as commercial dock doors. Residential deliveries will require a lift gate and an appointment with someone over the age of 18 to sign for delivery on site.

● **What areas or states do you ship to?**

Blackwood Cabinets can ship to all 48 continental states, with exclusions of islands that must be reached by ferries.

● **How are shipping costs calculated?**

Carriers use the weight, size, and distance of the shipment from our distribution center to your final destination to determine the cost. Our dealer portal is directly connected with the necessary carriers based on what is in your cart to determine your cost at the point of check out.

● **How long will it take for my shipment to arrive?**

Transit times can take 1-6 business days depending on your location and the services required at delivery.

● **What should I do if my order arrives damaged or missing parts?**


Upon arrival of your delivery please note any damages on the driver's copy of the BOL, keep a copy, and take any necessary pictures. Do not refuse the shipment. Homeowners should report directly to their dealers. Dealers should submit a claim online with the photos of the damages or send them immediately to sales@blackwoodcabinets.com. Blackwood will review and replace damaged pieces in a timely manner.

Caring for Your Blackwood Cabinets

After your Blackwood Cabinets are built and installed, apply these best practices to protect both functionality and appearance over time.

Minor Surface Touch-Ups

Normal household use may occasionally result in small scratches or worn areas. Blackwood touch-up kits are designed to minimize visibility of minor imperfections.



Touch-Up Kit Components

- Color-matched paint marker
- Wax fill stick
- Buffer pad
- Application card

Paint Marker Use

- Shake well and prime the tip on scrap material.
- Apply light, controlled strokes only to the affected area.
- Allow to dry fully before gently removing excess paint with the buffer pad.


Fill Stick Use

- Rub lightly into worn areas or small gaps, following the grain direction.
- Level the surface using the application card until smooth.

Touch-up materials are intended for cosmetic blending rather than full surface refinishing.


Hardware Alignment

Installation, seasonal movement, and longevity of use can cause doors and drawers to shift slightly. Blackwood Cabinets are equipped with adjustable soft-close hardware designed for simple refinement.



Door Hinge Adjustments

- Vertical adjustments to align the door up or down can be made by tightening or loosening the top inside screw on the hinge plate connected to the frame.
- Horizontal adjustments to fine-tune the spacing side-to-side can be made using the screw in the hinge cup embedded in the door.
- Depth adjustments to bring doors closer or farther from the cabinet frame can be made using the bottom inside screw on the hinge plate connected to the frame.




Drawer Glide Adjustments

- Vertical controls level drawer fronts within the cabinet opening by rotating the front gear.
- Horizontal adjustments square the drawer from left to right by rotating the side gear.
- Depth adjustments regulate how far the drawer face sits from the cabinet frame by rotating the back gear.
- Unlocking tabs on the center of each glide allow drawers to be removed and reinstalled during adjustment.

Because each hinge or glide operates independently, small changes across multiple points may be needed for optimal results.

Daily Awareness & Ongoing Habits

- Treat cabinetry as you would high-quality furniture by keeping surfaces clean, dry, and free from lingering residue.
- Address spills, splashes, and grease promptly, particularly around sinks, dishwashers, and cooking zones where moisture and heat are most concentrated.
- Avoid resting damp towels or cleaning cloths against cabinet surfaces, as extended moisture contact can compromise finishes and joints.
- Maintain proper ventilation in kitchens to reduce exposure to steam, smoke, and airborne residue.
- **Create a cleaning schedule to help keep your cabinets looking like new:**



As Needed

- Use a gentle solution of warm water and mild dish soap applied to a clean, lint-free cloth.
- Clean cabinetry using light pressure, then immediately dry with a second cloth to prevent moisture absorption.
- Always apply cleaners to the cloth rather than spraying directly onto cabinetry.

Weekly Spot Clean

- Lightly wipe down with a dry microfiber cloth or soft duster weekly to prevent film buildup and preserve the finish clarity.

Seasonal Refresh

- Empty cabinets and remove dust or debris from interior surfaces every few months.
- Clean interiors and exteriors using the same mild cleaning approach.
- For areas with stubborn residue, a minimal amount of baking soda combined with warm water may be used sparingly, followed by immediate drying.

Cleaners, Tools & Practices to Avoid

Cabinet finishes are durable but not indestructible. The following items can cause irreversible damage and should not be used:



- Harsh or reactive cleaners such as ammonia, bleach, citrus-based formulas, or powdered abrasives
- Abrasive tools including steel wool, scrubbing pads, magic erasers, or paper towels
- Furniture polishes, waxes, or shine-enhancing products that create buildup or uneven sheen Sponges or dish cloths that retain grit and moisture

When in doubt, gentler is always better.

Environmental Conditions & Cabinet Longevity

Wood naturally responds to changes in its environment. Maintaining consistent indoor conditions helps reduce movement and finish stress.



- Ideal indoor environments fall between 60°–80°F with relative humidity between 30%–60%.
- Extended exposure to direct sunlight may gradually alter cabinet color over time; window coverings can help limit exposure.
- Excessive heat, particularly from appliance self-cleaning cycles, can impact nearby cabinetry. Remove adjacent doors and drawers if using these appliance features.
- Smoke and airborne oils may dull or discolor finishes over time without adequate ventilation.
- Any moisture contact should be dried immediately using a clean microfiber cloth.

Blackwood Cabinets are designed to balance craftsmanship with everyday living. With mindful care and occasional adjustment, your cabinetry will continue to function smoothly and age with character and intention.

Dealer Policies

Dealer Qualification & Account Setup

Blackwood Cabinets Inc. ("Blackwood") partners exclusively with established dealers, builders, and contractors holding valid business licenses and resale certificates. A completed Dealer Application must be approved and resale documentation be obtained before orders or pricing access are granted

Account Maintenance

Dealers must keep business contact, billing, and shipping information current. Any updates must be submitted on your dealer portal upon changes to your business information. Failure to maintain updated records may delay order processing or shipping.

Account Maintenance

Dealers must keep business contact, billing, and shipping information current. Any updates must be submitted on your dealer portal upon changes to your business information. Failure to maintain updated records may delay order processing or shipping.

Credit Eligibility & Limits

Credit privileges are subject to review of credit references and payment history. Blackwood reserves the right to adjust or revoke credit lines at any time for late payments, NSF transactions, or inactivity. Past-due balances may result in credit hold or suspension of ordering privileges until resolved.

Pricing Confidentiality & Use

Dealer pricing and login credentials are confidential and non-transferable. Dealers may not disclose portal pricing to retail customers or third parties. All advertised pricing must follow MAP (Minimum Advertised Price) guidelines when applicable.

Dealer Responsibilities

Dealers are expected to:

- Review all designs and measurements before submitting orders.
- Verify accuracy of product selections, modifications, and accessories.
- Communicate clearly with end clients regarding RTA assembly requirements and freight limitations.
- Follow all claim and return procedures outlined herein.

Termination of Dealership

Blackwood may suspend or terminate any account for non-payment, misuse of marketing assets, unethical sales practices, or repeated policy violations. Written notice of termination will be provided; outstanding balances remain immediately due upon termination.

Order & Payment Policies and Procedures

Order Submission

All orders must be placed through the secure dealer portal. Phone orders are not accepted to prevent entry errors. Blackwood is not liable for design or measurement errors once an order is placed.

Full Truck Load Orders

Any large orders exceeding LTL parameters must be approved by Blackwood management team with a spot FTL quote prior to proceeding with order.

Payment Requirements

Full payment is required prior to order release, unless written credit terms have been granted. Accepted methods include major credit cards (3% credit card fee applies), ACH, and terms (with Blackwood approval). Orders are considered confirmed only when payment clears. (This includes backorders and approved written add-ons). Blackwood is not responsible for dealers using payment methods not owned/managed by the dealer.

Sales Tax Compliance

Sales tax will be applied based on the ship-to state unless a valid resale or exemption certificate is on file. Certificates must be current and signed. Expired or missing documentation will result in tax being charged.

Order Changes & Cancellations

Changes requested after payment or order release must be submitted in writing within 24 hours. If production or staging has begun, restocking or change fees of 10% may apply. Cancellations after warehouse processing are treated as returns.

Backorders & Substitutions

In the event of an out-of-stock item, dealers will be notified with alternative options or estimated restock dates. Partial shipments may occur to meet project deadlines. Backordered items ship automatically once available unless canceled in writing. Pending manufacturing schedules, Blackwood may reserve the ability to activate or deactivate backorder abilities.

Delinquent Accounts

Accounts with balances exceeding 30 past due may be subject to a credit hold when placing orders. Returned checks or chargebacks incur a \$35 fee. Dealers agree to pay reasonable collection costs if an account is referred for recovery.

Order Discrepancies

Dealers must report any discrepancies between acknowledgments and intended orders within 24 hours of receipt. Unreported discrepancies become the dealer's responsibility.

Warehouse Lead Time Procedures

Standard Processing Times

RTA orders typically ship within 3 business days of payment confirmation. Same day pick up is available for RTA orders under 10 items. Assembled orders will be ready within 10 business days. Actual lead time may vary depending on order volume, freight scheduling, and regional holidays and will be announced by Blackwood on the dealer portal or by email accordingly.

Expedited Processing

Requests for expedited service can be selected at time of purchase at check out in your dealer portal. Rush orders may incur a \$150 rush processing surcharge and are subject to current workload capacity. RTA rush can be picked up or shipped out the same day if placed before noon EST, (with a minimum of 2 hours to process). Assembled rush orders can be picked up or will be shipped out in 3 business days.

Order Status Updates

Dealers can monitor order status, tracking numbers, and fulfillment notes through the dealer portal. Automated notifications are emailed at key stages: order confirmation, order shipped, or ready for pickup.

Delays & Exceptions

Blackwood strives to maintain published lead times; however, factors such as carrier shortages, severe weather, or material delays may extend fulfillment. In such cases, updated estimated ship dates will be posted in the portal or emailed upon receipt of reasonable updates.

Incomplete Orders & Backorder Management

If a multi-SKU order includes temporarily unavailable items, Blackwood may split shipments or hold the order per dealer preference. Additional freight charges apply for split shipments initiated by the dealer.

Shipping & Delivery Policies and Procedures

Shipping Methods & Coverage

Blackwood Cabinets Inc. ("Blackwood") ships nationwide using trusted freight carriers and regional delivery partners. Orders are shipped FOB origin – title and risk of loss transfer to the dealer once the shipment is released to the carrier.

Freight Estimates & Charges

Freight costs are calculated at the time of order based on weight, dimensions, and destination. Freight estimates are subject to carrier fuel surcharges and rate adjustments. Residential or limited-access deliveries may incur additional fees

Freight Packaging

Cabinets are packaged individually, whether RTA or assembled, palletized, wrapped, and strapped securely to LTL carrier standards. Each piece of the shipment is weighed and labeled for per carrier requirements and tracking specifications. The corresponding tracking number is emailed to the dealer and available on the dealer portal once the carrier has taken possession of the shipment.

Delivery Scheduling

LTL carriers have a standard 2–5 business day transit time. Please account for one extra day for residential and/or appointment deliveries. Carriers should contact the consignee 24 hours in advance with an estimated delivery window if residential or delivery appointment was selected at time of checkout. Dealers are responsible for ensuring someone 18 years or older is present to sign for the shipment. Missed appointments may result in a redelivery charge.

Delivery Scope

Standard delivery includes curbside or dock drop-off accessible by a 53' tractor trailer, and therefore the driver is only responsible for removing the pallet from the truck. Further movement of the pallet, such as inside delivery or first dry threshold services is available upon request for additional fees and must be arranged prior to shipment with the carrier. Drivers are not authorized to unbox, assemble, or enter private residences or job sites.

Inspection at Delivery

Dealers are responsible for ensuring someone 18 years or older is onsite to inspect shipment(s) before signing the Bill of Lading (BOL). Any external visible damage or pallet shortage must be noted on the driver's BOL copy and acknowledged by the driver, and a copy obtained to submit to Blackwood. Additionally, photos or video should be recorded and submitted with the BOL copy to Blackwood on the dealer portal. Failure to record visible damage on driver's copy with the freight carrier voids carrier liability.

Refused Deliveries

Blackwood recommends to not refuse shipments, unless it contains an incorrect consignee or incorrect corresponding order IDs, as damages or shortages can be claimed and corrected through Blackwood support departments. Unauthorized refusals will be subject to return freight, handling, and restocking fees. * Concealed shipping damage must be reported to Blackwood within 5 business days of receipt, with supporting photos and itemized description on the dealer portal. Keep all packaging until the claim is resolved.

Missed or Inaccessible Deliveries

If the driver cannot complete delivery due to blocked access, unsafe conditions, or lack of recipient, a redelivery fee up to the original freight charge may apply

Loss or Delay

Transit times are estimates. Blackwood is not responsible for delays caused by carriers, weather, or other uncontrollable factors. Any claim for carrier loss must be filed within 3 business days of expected delivery.

Warehouse Pick-Up Policies and Procedures

Available Pick-Ups

A confirmation will be sent once the order is available within the standard lead times. Dealers may check their status in advance by checking the dealer portal or contacting Customer Service.

Pick-Up Hours of Operation

Standard hours are Monday–Friday, 8am–5pm. Holiday closures will be announced with reasonable notice via email and on the dealer portal.

Identification & Verification

Dealer or authorized local carrier must present the order number and company name at check-in. Photo ID may be required for release.

Pick-Up Packaging

Warehouse pick-up orders are not packaged for shipping. Cabinets are left loose to load individually into the dealer's or authorized local carrier's vehicle. Blackwood does not accept 3rd party freight carriers scheduled by dealers.

Inspection Prior to Loading

Inspect all items before loading. Signing the pick-up release form acknowledges that the order is received by the dealer or authorized carrier complete and free from external visible damages.

Loading Assistance & Safety

Forklift assistance is available; however, the dealer or dealer arranged local carrier is assuming responsibility for security and safety of the product during loading and transport as the products leave the dock. Blackwood is not liable for weather or improper equipment damage sustained during transit by the dealer or dealer-arranged carriers.

Uncollected Orders

Orders not picked up within 10 business days of available notification will incur storage fees of \$25.00 a day per order and may be restocked after an additional 10 business days, with an additional 10% restocking plus the storage fee charged.

Reporting Damages or Missing Items (Claims)

Initial Inspection

All shipments or pick-ups must be inspected immediately upon receipt. Note visible damage, shortages, or packaging irregularities on the BOL or pick-up forms.

Filing a Claim

To file a claim, dealers must submit a claim on the dealer portal within 30 days of delivery or pick up (pending the type of claim – shipping damages must be reported within 5 business days, missing items reported within 2 weeks, manufacturer defects within 30 days). By selecting the order under the claims module the dealer is able to select the affected items, upload supporting images and documents, and notate any additional pertinent information to help process the claim. If the portal is unavailable, please email the following information to sales@blackwoodcabinets.com:

- Order number
- Description of damages
- Attached image/video of damage
- Shipping address for potential replacement(s)

Claim Processing

Claims are reviewed within 2 business days. Approved claims may result in replacement part(s) or cabinet, credit to account, or refund at Blackwood's discretion. Incomplete submissions may require additional information and delay processing. Upon approval, claims orders are processed as a rush order.

Concealed Damage Window

Concealed damage claims reported after 30 may be denied per carrier policy. All original packaging must be retained for inspection.

Replacement Shipments

Replacement orders are shipped standard ground/LTL unless expedited service is requested and covered at dealer's expense. Each replacement is identified by a new order number for tracking.

Non-Qualifying Claims

RTA orders: All claims must be submitted prior to assembly/installation. Assembled orders: All claims must be submitted prior to installation. Claims for slight color variation, wood grain differences, or minor finish inconsistencies are not covered under damage claims as these are inherent to natural materials.

Third-Party Receivers

When shipments are delivered to third-party warehouses or job sites, responsibility for inspection and damage reporting transfers to the receiving party.

Claim Installation Costs

Blackwood's warranty and replacement processes apply strictly to the product itself. Blackwood is not liable for any additional labor, transit, service, or material related costs accrued during installation of products or claims or warranty parts. This includes expenses related to:

- Labor from contractors, installers, or third-party service teams
- Removing, adjusting, or reinstalling cabinets or components
- Jobsite or scheduling delays caused by missing, damaged, or replacement items
- Additional materials or supplies required to complete the work
- Costs incurred by other trades affected by cabinet adjustments (e.g., countertop, plumbing, electrical, flooring, or paint teams)
- Freight, storage, handling, or redelivery of replacement products

All claims and warrant products should be inspected before installation, as installation confirms acceptance. Blackwood's responsibility is limited exclusively to providing warranted replacement parts or products, and does not extend to associated labor or ancillary job costs.

Return Policies and Procedures

Eligibility for Return

Only unopened, unassembled products in original packaging are eligible for return within 30 of invoice. Items must be approved by Blackwood as "resalable condition" with no alterations or missing parts.

Non-Returnable Items

Assembled cabinets, custom orders, modified products, trims, moldings, panels, fillers, hardware, and discontinued SKUs are non-returnable.

Return Authorization Form

Contact Blackwood at sales@blackwoodcabinets.com to request a Return Authorization (RA) number before returning items. Items received at the warehouse without an RA return will not be processed and are subject to return at the dealers expense if not addressed correctly.

Restocking Fee

All authorized returns are subject to a 15% restocking fee plus deductions for missing or damaged components.

Return Shipping & Costs

The dealer is responsible for covering the return to Blackwood, via drop off or freight, unless the return is due to Blackwood error. Freight must be prepaid – collect shipments will be refused.

Inspection & Credit

Returned goods are inspected within 5 business days of receipt. Approved returns will receive credit to the dealer account or refund within 5-7 business days of approved saleable condition. Rejected returns due to unsaleable conditions will be held for 10 business days after notice for dealer pickup before disposal.

Special Programs & Promotions

Products purchased under special pricing, promotions, or display programs may be final sale and ineligible for return. Refer to program documentation for specific terms.

Marketing Policies

Authorized Use of Brand Assets

Approved dealers may use Blackwood logos, product images, and content for marketing provided materials are not altered or misrepresented. All usage must reflect Blackwood's quality standards and branding guidelines. Blackwood is not liable for any marketing costs associated with the use of the Blackwood logo. For more information please contact sales@blackwoodcabinets.com.

Co-Branding and Advertising

Any marketing that combines the Blackwood name with another brand, influencer, or retailer must receive written authorization before release.

Digital Content and Social Media

Dealers may tag or mention Blackwood products online but must avoid claims of exclusivity or statements that misrepresent pricing, warranties, or delivery times.

Promotional Programs

From time to time, Blackwood may offer co-op advertising, rebate, or incentive programs. Participation requires compliance with published program terms and proof of qualifying sales.

Private Labeling

Dealers may private label Blackwood products at their discretion. The use of any images and sales materials can be obtained by contacting sales@blackwoodcabinets.com.

Misuse and Consequences

Unapproved or misleading use of Blackwood intellectual property may result in suspension of dealer privileges and potential legal action for brand infringement.

Display Policies

Samples and Literature

Sample doors, color chips, and brochures are available at discounted cost or as promotional kits. Quantities may be limited during new product launches.

Display Purchase Programs

Authorized showrooms may purchase display cabinets at discounted rates based on approval. Each dealer is eligible for 50% off displays, up to \$2500 a year, per show room. Displays must not be for functional use, such as breakrooms, desks, or bathrooms. Designs should be submitted prior to ordering. Initial 25% off is offered at time of purchase with additional 25% off after final pictures of final installation of display.

Display Condition and Maintenance

Displays should be maintained in clean, operational condition and accurately labeled with product specification and processing information.

Refresh and Replacement

Display updates may be requested when product lines change. Approval is subject to availability and program guidelines.

Limited Lifetime Warranty Summary

Full Warranty details are listed in the separate Warranty document.

Coverage and Duration

Blackwood warrants a limited lifetime warranty for its cabinetry against manufacturing defects in materials and workmanship to the original purchasing consumer and is non transferable. Full warrant details are listed in separate Warranty document.

Exclusions

This warranty does not cover:

- Damage from improper installation, misuse, alteration, or exposure to extreme humidity/temperature.
- Variations in wood grain, color, or finish tone due to natural characteristics.
- Normal wear such as scratches, fading, or hinge adjustment over time.
- Labor, travel, or removal/re-installation costs.

Remedy

At its discretion, Blackwood will replace or issue credit for defective parts. Replacement items may differ slightly in color or material due to production changes over time.

Warranty Claim Process

To file a claim, dealers may submit a claim on the dealer portal by selecting the order under the claims module the dealer is able to select the affected items, upload supporting images and documents, and notate any additional pertinent information to help process the claim. If a consumer, please email the following information to sales@blackwoodcabinets.com:

- Original date of purchase
- Description of claim
- Attached image/video of damage
- Shipping address for potential replacement(s)

Disclaimer

This limited warranty is exclusive and in lieu of all other express or implied warranties, including merchantability or fitness for a particular purpose.

Limitation of Liability

Scope of Liability

Blackwood's total liability, whether in contract, tort, or otherwise, shall not exceed the amount paid for the product giving rise to the claim.

Exclusion of Consequential Damages

Blackwood is not responsible for consequential, incidental, or indirect damages such as loss of profits, delays, or project costs.

Dealer Responsibility

Dealers are responsible for verifying all orders, measurements, and job-site conditions prior to purchase.

Indemnification

Dealer agrees to indemnify and hold harmless Blackwood from any third-party claims arising out of dealer misuse of products, marketing, or installations.

Privacy & Data Protection

Data Collection Purpose

Blackwood collects dealer information solely for order processing, logistics, communication, and compliance.

Information Security

All digital transactions occur through encrypted systems. Access to sensitive data is limited to authorized personnel.

Third-Party Service Providers

Select third-party partners (payment gateways, freight carriers, CRM systems) may access data only as required to fulfill business operations.

Opt-Out and Communication Preferences

Dealers may update communication preferences or request data removal in compliance with applicable data-protection laws.

Breach Notification

In the unlikely event of a data breach, affected dealers will be notified promptly as required by law.

Governing Law & Jurisdiction

Applicable Law

These Terms & Conditions shall be governed by and construed in accordance with the laws of GA.

Entire Agreement

This document constitutes the entire agreement between Blackwood Cabinets Inc. and its authorized dealers, superseding all prior written or verbal understandings.

Amendments

Blackwood reserves the right to modify these Terms & Conditions at any time. Updates will be communicated through the dealer portal and become effective immediately upon posting.

Blackwood Cabinets Inc. ("Blackwood") warrants its Ready-to-Assemble ("RTA") cabinetry products to be free from defects in material and workmanship under normal residential use for as long as they are owned by the original residential consumer purchaser. This Limited Lifetime Warranty is subject to the exclusions, limitations, and disclaimers stated herein.

Coverage

- This warranty applies solely to cabinetry, door fronts, drawer boxes, face frames, shelving, and structural components manufactured and distributed by Blackwood
- Hardware components, including hinges, glides, and drawer slides, are covered under a separate limited warranty of five (5) years from the original purchase date, unless otherwise specified by their respective manufacturer.
- All Blackwood cabinetry is intended for normal indoor residential use only. This warranty extends exclusively to the first residential consumer purchaser and is non-transferable.

Limitations of Coverage

This Limited Lifetime Warranty does not cover:

- Damage resulting from **improper handling, storage, installation, or assembly** by any party other than Blackwood.
- Damage or failure resulting from **exposure to moisture, humidity, temperature extremes, direct sunlight, or improper environmental conditions.**
- Damage from **abuse, misuse, neglect, accidents, alterations, or modifications** of any kind.
- Wear and tear from **normal aging, cleaning, or maintenance.**
- Variations in **color, grain, or texture** of wood, veneer, laminate, or painted finishes, including darkening, fading, yellowing, or changes due to exposure to light, smoke, or household chemicals.
- Damage caused by **acts of nature, fire, flood, or other environmental events.**
- Improper cleaning methods, use of abrasive or chemical cleaners, or contact with moisture left on cabinet surfaces.
- Labor charges for removal, installation, or transportation of defective or replacement products.
- Products installed in **rental, commercial, institutional, or multi-unit properties.**
- Cabinets, parts, or accessories that have been repaired, altered, or refinished by anyone other than Blackwood or an authorized representative.

Disclaimer:

Normal wood movement, including expansion, contraction, or warping up to 1/8" in doors under 24" wide or 42" tall, is not considered a defect. Slight separation at miter joints is normal. Painted finishes may develop hairline cracks from natural wood movement and are not covered.



Duration of Warranty

- For residential use, this warranty remains in effect for as long as the original consumer purchaser owns the product in its originally installed location. For commercial installations, the warranty period is limited to one (1) year from the date of original purchase.
- Hardware, accessories, and specialty components supplied by third-party vendors are warranted only to the extent of the original manufacturer's warranty, if any.

Warranty Remedies

- If a product defect covered by this warranty is found, Blackwood will, at its sole discretion, repair, replace, or issue a credit for the defective component. Replacement parts will be manufactured to current specifications and may not exactly match the original due to variations in grain, texture, or finish.
- Blackwood reserves the right to inspect any claimed defective product prior to replacement or repair. If the product or component is discontinued or unavailable, Blackwood may substitute a similar item or issue a credit equivalent to the original purchase price of the defective item.
- **Labor, installation, removal, transportation, and associated costs are not covered under this warranty.**

Warranty Claim Procedure

To initiate a warranty claim, the original purchaser must submit a written claim to Blackwood Cabinets Inc. to sales@blackwoodcabinets.com and include the following:

- Proof of purchase (invoice or order confirmation)
- Photographs of the defect
- Description of the problem and product location
- Contact information for inspection coordination

Disclaimer:

- Claims must be submitted within thirty (30) days of discovery of the alleged defect. Failure to notify Blackwood within this period may void the claim.
- Products must not be removed, altered, or repaired prior to inspection by an authorized Blackwood representative, or the claim may be denied.



Exclusions and Disclaimers

- This warranty is the sole and exclusive warranty of Blackwood Cabinets Inc. and replaces all other warranties, express or implied, including but not limited to implied warranties of merchantability and fitness for a particular purpose.
- Blackwood's liability is limited solely to the repair, replacement, or credit of defective products as stated herein. Under no circumstances shall Blackwood be liable for any indirect, incidental, or consequential damages, including but not limited to loss of use, profit, or business interruption
- This warranty does not create any rights or obligations beyond those expressly stated.

Additional Terms

- Replacement parts or products are warranted only for the remaining period of the original warranty.
- All returned or replaced items become the property of Blackwood Cabinets Inc.
- Blackwood reserves the right to modify or discontinue products, colors, or materials at any time without notice or obligation to replace any product previously manufactured.
- This warranty gives the consumer specific legal rights. Some states do not allow the exclusion or limitation of incidental or consequential damages, so these limitations may not apply in all cases. Consumers may also have other rights that vary by state.

Governing Law

This Limited Lifetime Warranty shall be governed by and construed in accordance with the laws of the State of Georgia, without regard to its conflict of law principles.

Blackwood Cabinets Inc.

All rights reserved. Unauthorized reproduction or misrepresentation of this warranty is prohibited.



Blackwood

C A B I N E T S



 blackwoodcabinets.com

 sales@blackwoodcabinets.com

 470-634-6290

 3095 Chastain Meadows Pkwy,
Bldg 200 Ste A, Kennesaw, GA 30144